IOC-IHO/GEBCO SCUFN-XV/3 English only

Distribution: limited

INTERGOVERNMENTAL OCEANOGRAPHIC COMMISSION (of UNESCO)

INTERNATIONAL HYDROGRAPHIC ORGANIZATION





Fifteenth meeting of the GEBCO Sub-Committee on Undersea Feature Names (SCUFN)

International Hydrographic Bureau Monaco, 7-10 October 2002

SUMMARY REPORT

Page intentionally left blank

SUMMARY REPORT

<u>Notes</u>: A list of acronyms, used in this report, is in Annex 4

An alphabetical index of all undersea feature names appearing in this report is in Annex 5.

1. INTRODUCTION -APPROVAL OF AGENDA

The fifteenth meeting of the GEBCO Sub-Committee on Undersea Feature Names (SCUFN) met at the International Hydrographic Bureau, Monaco, under the Chairmanship of Dr. Robert L. Fisher, Scripps Institution of Oceanography (SIO), USA. Apologies were received from Dr Kunio Yashima, Japan Coast Guard. Dr Robert Falconer, NIWA. New Zealand had indicated earlier that he was unable to remain active in SCUFN activities and therefore had to step down from SCUFN. The list of participants is in Annex 1.

Attendees were welcomed by Capt. Hugo Gorziglia, IHB Director. In his opening remarks, he noted in particular the urgency of recruiting new SCUFN members and the need to keep consistent all language versions of IHO-IOC Publication B-6.

The draft agenda was reviewed and approved with the following correction:

- Item 5 c) "Comments/expert review by specialist, Prince Albert era" was cancelled since Mme Carpine-Lancre, a recognized expert in this field, was unable to attend.

The final agenda is in Annex 2.

The Secretary of SCUFN, Ing. en chef Michel Huet, IHB, drew attention to the documents to be referred to at the meeting, a list of which is in Annex 3.

The Secretary also noted that the report on the consideration by SCUFN-XIV (Tokyo, Japan, 17-20 April 2001) of the names shown on Japanese bathymetric chart n° 6726 had inadvertedly been omitted from the Report of SCUFN-XIV (Doc. IOC-IHO/GEBCO SCUFN-XIV/3). The resulting additional section 4.2.5bis has been made an addendum to the above document. It is provided as Appendix A to this report of SCUFN-XV.

As a general note, the meeting agreed that a formal letter should be sent to inform people if a feature has been named after them or their proposals have been accepted by SCUFN. Secretary to follow-up.

2. MATTERS REMAINING FROM PREVIOUS MEETINGS

2.1. From SCUFN-XIII (Dartmouth, Nova Scotia, Canada, June 1999)

Ref: Doc. IOC-IHO/GEBCO SCUFN-XIII/3

2.1.1 Southwest Pacific / New Zealand region

The following 8 features and names in this area, still pending, were reviewed:

- **Paragraph 3.1.5** Proposed names for two seamounts located at (18°56'S 169°27'W) and (19°31'S 167°36'W) are still awaited from Dr Robert Falconer, NIWA. New Zealand. Secretary to follow-up.
- Paragraph 3.1.15 Further bathymetric evidence for Nella Dan Trough

(49°10'S – 152°00'E to 48°00'S – 154°00'E) is still awaited from Dr Steven Cande, SIO, USA, who proposed this name. The Chairman reported that Dr Cande had no additional bathymetric information for the time being. <u>To be kept</u> in RESERVE Section of the Gazetteer.

- Paragraph 3.1.19 Further bathymetric evidence for Moana Wave Ridge (32°12'S 176°10'W) and Svendsen Ridge (32°22'S 176°06'W) is still awaited from Mr Thomas J. Osborne, AT&T Submarine Systems, USA, who proposed these names in 1997, or from the University of Hawaii. Secretary to follow-up. Meanwhile, to be kept in RESERVE Section of the Gazetteer.
- Paragraph 3.1.23 Current name of the feature located at 51°30'S 176°30'E to 56°00'S 167°00'E, **Sub-Antarctic Escarpment**, is considered inelegant and inaccurate by SCUFN. A more felicitous name is required. Secretary to send a letter to Dr. Ian Wright, NIWA and/or Mr. Bruce Wallen, LINZ, New Zealand, copy to Dr Falconer, saying "For international acceptance and use, would you have any objection to this feature being renamed the **Antipodes Escarpment**". Meanwhile, to be kept in RESERVE Section.
- Paragraph 3.1.23 (cont.) Feature located at 42°15'S 164°00'E to 43°30'S 164°00'E was renamed Joseph Gilbert Seamount by SCUFN, instead of Gilbert Seamount as shown on NZOI map, misc. series No 73, 1997, to differentiate it from the long known Gilbert Seamount in the North Pacific. Secretary to send a letter to Dr. Wright and/or Mr. Wallen, copy to Dr Falconer, seeking their agreement to the name Joseph Gilbert Seamount and stating that SCUFN recognises Joseph Gilbert as a significant figure in New Zealand history.
- Paragraph 4.11 (ACUF Meeting 276) Further bathymetric evidence for Mahi Mahi Fracture Zone (12°48'S 143°45'W) is still awaited from Dr. Mitchell Lyle, CGISS, Boise State University, USA, who proposed this name in 1998. Secretary of ACUF may also be able to provide this information. Secretary to follow-up; Meanwhile, to be kept in RESERVE Section of the Gazetteer. Named from the fish Mahi Mahi (Dorado), which is common in this area.

2.1.2 Central Eastern Atlantic (IBCEA Sheets 1.01, 1.06, 1.07 and 1.08)

It was agreed that all names proposed for IBCEA Sheet 1.01 at SCUFN-XIII should have "Professor Jean-René Vanney (Univ. of Paris-IV, France)" as proposer, instead of "Ing. Gén. André Roubertou (France)".

It was noted that the names on this sheet appear in Portuguese instead of English (as required by the IBC Guidelines and as has been done on the IBCEA sheets prepared by SHOM). It is recognized that this may well be due to national regulations, especially as many of these names are for features within waters under national jurisdiction. If so, it is suggested that a double column of names in Portuguese and English might be printed on the reverse side of each sheet.

The following 16 features and names related to IBCEA Sheets 1.01, 1.06, 1.07, 1.08, 1.09 and 1.10, still pending, were reviewed.:

- **Paragraph 3.1.1 IBCEA 1.09 Item 3 -** Origin of the name "Pillsbury", for **Pillsbury Ridge** (0°20'N 17°50'W to 0°38'N 15°46'W), has now been clarified. *Named after a ship converted in 1963 as a general oceanographic research vessel by the University of Miami (source: 'Oceanographic Vessels of the World', Vol. III, 62.381).* Also add in the remark section of the Gazetteer "Pillsbury Ridge is a component of the Romanche Fracture Zone complex."
- Paragraph 3.1.1 IBCEA 1.06 Item 7 Origin of the name "Echo", for Echo Bank (25°20'N 19°20'W) is still unknown. Secretary to follow-up.
- Paragraph 3.1.2 IBCEA 1.10 Item 12 Origin of the name "Le Trou Sans Fond", for Le Trou Sans Fond Canyon (3°06'N 4°20'W to 5°10'N 3°58'W) is still unknown. Secretary to follow-up.
- Paragraph 4.1.1 IBCEA Sheet 1.01 Item 24 Origin of the name "Castro", for Castro Terrace (43°45'N 9°45'W), has been provided by Prof. J.R. Vanney. Named after Rosalia de CASTRO (1837-1885), a distinguished Galician poetess who contributed to the Renaissance of the Galician literature. One of the noted writers in this language close to Portuguese, with Emilia Pardo Bazan and Valle Inclan.
 - Paragraph 4.1.1 IBCEA Sheet 1.01 Item 34 An appropriate feature to commemorate ESTÊVÃO GOMES, an early Portuguese explorer, is still awaited from the Portuguese HO or Professor Jean-René Vanney (Univ. of Paris-IV, France). Secretary to follow-up.
 - Paragraph 4.1.1 IBCEA Sheet 1.01 Item 43 Origin of the name "Gil Vicente", for Gil Vicente Spur (40°00'N 11°05'W to 39°43'N 10°15'W), has been provided by the Portuguese HO. Gil Vicente was a noted Portuguese author (known as the Portuguese Shakespeare).
 - Paragraph 4.1.1 IBCEA Sheet 1.01 Item 78 Origin of the name "São Pedro", for São Pedro Canyon (39°57'N 10°35'W to 39°50'N 10°00'W to 39°44'N 9°37'W), has been provided by the Portuguese HO. *This name was given from the nearby coastal town of São Pedro de Muelo*.
 - Paragraph 4.1.1 IBCEA Sheet 1.01 Item 84 Origin of the name "Theta", for Theta Passage (43°30'N 13°00'W), has been provided by the Portuguese HO. This name was proposed originally by A.S. Laughton (1960) as the trace of the bed of the abyssal valley resembles the Greek letter "theta".
 - Paragraph 4.1.1 IBCEA Sheet 1.01 Item 85 Origin of the name "Tore", for Tore Seamounts (38°20'N 13°30'W to 39°20'N 13°00'W to 39°45'N 11°55'W), has been provided by the Portuguese HO. *This name was given from the geometric description of the feature (ring-shaped)*.
 - Paragraph 4.1.1 IBCEA Sheet 1.01 Item 93 Origin of the name "Focinho", in Focinho Peak (39°07'N 9°56'W), has been provided by the Portuguese HO. *This name is used by fishermen using trawls*.
 - Paragraph 4.2.1 IBCEA Sheet 1.06 Item 4 Clarification still awaited from SHOM on whether the feature named **Tropic Seamount** (23°50'N 20°40'W) should rather be called a Guyot. Secretary to follow-up.

- Paragraph 4.2.2 IBCEA Sheet 1.08 Item 27 Origin of the name "Loko", in Loko Knoll (8°30'N 16°58'W), has now been clarified. It was given from the town of Port Loko and Loko Creek upriver from Freetown, in nearby Sierra Leone.
 - Paragraph 4.2.2 IBCEA Sheets 1.07 & 1.08 Items 28, 29, 30 and 31 Origin of the following four names has now been clarified. They all have been given after local Senegalese tribes.
 - o **Mandingo Canyon** (12°13'N 18°25'W),
 - o **Oualo Canyon** (11°48'N 18°00'W),
 - o Geba Canyon (11°28'N 18°15'W), and
 - o **Bijagós Canyon** (11°02′N 18°20′W).

2.1.3 Others

The following features and names, still pending, were reviewed:

- Paragraph 3.1.4 Further bathymetric evidence for Erebus Fracture Zone (63°00'S 177°00'E to 65°30'S 175°18'W to 67°30'S 170°00'W) and Terror Fracture Zone (64°42'S 180°00'E to 65°00'S 177°30'E to 66°30'S 177°18'W) is still awaited from Dr Steven Cande, SIO, USA, who proposed these names. The Chairman reported that Dr CANDE had no additional bathymetric information for the time being. To be kept in RESERVE Section of the Gazetteer.
- **Paragraph 3.1.6** As requested, Dr Galina Agapova has identified a feature for the name "Gololobov", as follows:

Gololobov	41°24.0'S	GEBCO
Bank	42°52.5'E	5.09

Accepted. Least depth: 176 m. Proposer: VNIRO, Russia, 1982. Discoverer: F.R.V. "Chatyr-Dag", 1981.

Named after the Russian ichthyologist and explorer of the Indian Ocean, Dr. Ya.K. Gololobov (1909-1980).

- **Paragraph 3.1.6** (cont.) As requested, additional documentation has been provided by Dr Agapova on the name **Shchukin¹ Seamount** (44°20'S 105°10'W). This name is therefore **accepted**.
- Paragraph 3.1.18 Name Milne Bank is shown at location (43°40'N 38°36'W) on INT Charts 11 and 14, as "Existence doubtful (1864-1936)". Since confirmatory information has not been received from the producer of these charts, the Norwegian HS, SCUFN decision is to remove this name from the Gazetteer and to add the following remark against Milne Seamounts: "May include Milne Bank (shown on INT charts as "Existence Doubtful") at 43°40'N 38°36'W".
- Paragraph 3.2.2 Further bathymetric evidence is still awaited from the Colombian HO (CIOH), as they asked for changes to names on IBCCA sheets 1.07 and 1.13 (CIOH letter 319 DCIOH-SCDI-DIHID-585 of 4 March 1999 refers). Secretary reported that the person at CIOH who originally raised an

¹ Initially proposed as 'Sčukin'

objection has moved to another posting, so this action should be allowed to lapse. <u>Dr. Dmitri Travin, IOC Secretariat, will raise the matter at the next EB-IBCCA meeting</u> in March 2002 in Boulder, Colorado, USA. Mr Desmond Scott noted that Cuba, not Colombia, is responsible for IBCCA sheet 1.07. He further reported that, according to the Chairperson of EB-IBCCA (Lic. José FRIAS Salazar, Mexico), sheets 1.07 and 1.13 should be ready in December 2002 and April 2003, respectively. It was agreed that the <u>usage of seafloor names on these sheets should be reviewed</u> to see that it is in agreement with SCUFN decisions.

- Paragraph 3.3 Positions were clarified by Dr Agapova, for Sysoev Seamount (15°28'S 6°27'W) and Lev Tolstoy Seamount (15°10'S 8°19'W). Both names had already been accepted by SCUFN. <u>Least depths are 1,341 m and 401 m respectively</u>.
 - Paragraph 4.3 No objection was raised by South African authorities to the name Anton Leonov Seamount (39°52.1'S 7°45.5'E), which is therefore definitively accepted. Named after Anton Leonov (1919-1994), a long-time Russian navigator of Soviet research ships and developer of echo-sounders. Discoverer: R/V "Akademik Boris Petrov", March 1998.
 - Paragraph 4.4.1 Akademik Kurchatov Fracture Zone (37°00'S 130°30'W to 36°40'S 125°10'W to 37°30'S 120°30'W). The proposer (Dr. Alexander V. Zhivago, Russia) has confirmed, through Dr. Agapova, that this feature does not extend to the Chilean coast.
 - Paragraph 4.7.1 <u>To add "Least depth: 47 m"</u> in the remark section of the Gazetteer for **Hammondsport Bank** (10°28'S 159°37'E to 10°34'S 159°40'E).
 - **Paragraph 4.7.2** A proposed name for a narrow well-defined ridge located at 47°15'S 145°00'E to 49°45'S 145°00'E is still awaited from Dr Neville Exon, AGSO, Australia. Secretary to follow-up.
 - Paragraph 4.10 No objection was raised to the names Zeehaen Fracture Zone (50°24.2'S 113°53.7'E to 49°51.0'S 114°22.0'E) and Heemskerck Fracture Zone (50°02.8'S 115°31.3'E to 49°17.2'S 116°32.7'E) by Dr. J.R. Cochran (LDEO, USA), who proposed both features. They are therefore definitively accepted.
 - Paragraph 4.10 (cont.) Proposed names for the 6 fracture zones located at:

 1) (42°08.4'S 88°06.5'E to 41°41.5'S 88°42.1'E); 2) (45°20.8'S 96°24.2'E to 45°57.6'S 95°41.1'E to 46°14.4'S 96°14.7'E to 46°35.4'S 96°00.0'E); 3) (48°12.2'S 99°20.0'E to 47°10.4'S 100°18.3'E); 4) (48°00.8'S 99°20.0'E to 47°42.6'S 102°53.1'E); 5) (48°25.9'S 105°16.0'E to 48°38.2'S 105°02.6'E to 48°46.0'S 105°16.0'E to 48°55.2'S 105°07.2'E); and 6) (49°17.5'S 106°05.8'E to 48°18.3'S 107°02.1'E), are still awaited from Dr J.R. Cochran (LDEO, USA), who proposed these features. Secretary to follow-up. Letter to Dr Cochran to say "We are delighted that you agreed that the names Zeehaen and Heemskerck are accepted for two of these Fracture Zones. We now urgently need six more appropriate names for the remaining features proposed by you".
 - **Paragraph 4.11** Confirmation of the position, in particular the latitude values, for the following names is still awaited from Professor C. Hartnady (U.

of Cape Town, South Africa), who proposed them. Secretary to followup.

- o **Hintsa Seamount** (47°18'S 10°55'E),
- o Sandile Seamount (47°35'S 11°12'E), and
- o **Umvoto Rise** (47°03'S 11°12'E to 47°45'S 11°21'E).
- Paragraph 4.11 ACUF Meeting 275 Origin of the name "Pukao", in Pukao Seamount (26°57'S 110°20'W), has been clarified by Mr Trent Palmer, ACUF Secretary. The term "Pukao" refers to the red scoria headdresses of the famous Easter Island stone statues known as moai.
- **Paragraph 6.1** Dr. Agapova confirmed the evidence for the feature accepted as **Sadko Seamount** (12°20'N 61°15'E) by SCGN-VI (1985). See also Annex 6, page 20.

2.2 From SCUFN-14 (Tokyo, Japan, April 2001)

Ref: Doc. IOC-IHO/GEBCO SCUFN-XIV/3

2.2.1 Japan / Western Pacific : Review of SCUFN actions by Japanese Committee on Undersea Feature Names (JCUFN) - Initiation of proposals by JCUFN

- Names appearing on Japanese charts reviewed and accepted by SCUFN-14 or those proposed by SCUFN and thereafter reviewed by JCUFN. SCUFN decisions are as follows:
 - Paragraph 4.2.3 (Bathymetric Chart N° 6602) Items 34 and 40 Acceptance by SCUFN-14 of the following names have been endorsed by the Japanese Committee on U.F.N. They are therefore definitively accepted.
 - Kumano Ridge (33°14.0'N 137°07.5'E to 33°01.0'N 136°28.0'E to 33°55.0'N 136°15.0'E to 32°47.5'N 135°48.0'E to 32°42.2'N 135°19.0'E), and
 - o **Muroto Ridge** (32°54.0'N 134°46.5'E to 32°43.0'N 134°21.5'E to 32°24.5'N 134°26.0'E to 32°20.4'N 134°18.0'E).
- Paragraph 4.2.3 (Bathymetric Chart N° 6602) Item 38 The name Tosa Bank (33°05'.0N 134°40'E) was accepted by SCUFN-14. The Japanese Committee on U.F.N. has indicated that the name should be changed to Tosa Bae Bank, since the term "Tosa Bae" is used as a whole. Accepted. To also amend, in the Gazetteer, the reason for naming accordingly.
- Paragraph 4.2.4 (Bathymetric Chart N° 6722) Items 2 & 3, and Paragraph 4.2.5 (Bathymetric Chart N° 6725) Item 1 The Japanese Committee on U.F.N. considers that the following three names accepted by SCUFN-14, i.e.
 - o **Oki-Daito (North) Ridge** (24°00′N 132°30′E to 22°19′N 135°12′E),
 - o **Oki-Daito (South) Ridge** (23°42'N 132°50'E to 22°17'N 135°10'E), and
 - Oki-Daito Rise (24°00'N 132°40'E to 24°50'N 131°20'E to 25°30'N 130°20'E),

should be subsumed into one single feature named Oki-Daito Ridge, as shown on Japanese charts for historical reasons. However, SCUFN is of the opinion that these are three distinctive features. After discussion, it was decided that the above three names, as accepted by SCUFN-14, would be <u>retained in the Gazetteer</u> and that the following remark would be inserted: "<u>For international use</u>, these three features will be accorded different names. However on Japanese charts all three are customarily given a single name (Oki-Daito Ridge)".

- Paragraph 4.2.4 (Bathymetric Chart N° 6722) Items 5 & 22 Acceptance by SCUFN-14 of the following names have been endorsed by the Japanese Committee on U.F.N. They are therefore definitively accepted.
 - o **Tai-Inreki Seamounts** (23°50' N 133°46' E to 23°31' N 135°32' E to 22°08' N 134°56' E to 21°43' N 135°59' E), and
 - o **Ake-No-Myojo Seamount** (23°33'.3N 136°48'.1E).
- Paragraph 4.2.4 (Bathymetric Chart N° 6722) Items 46 and 47 Confirmation of topographic significance for the following names is still awaited. SCUFN-14 considered that they were not topographically obvious. Secretary to follow-up. Meanwhile, to be kept in RESERVE Section of the Gazetteer.
 - o **Raicho Escarpment** (20°45′N 139°35′E to 19°25′N 138°30′E),
 - o Tancho Escarpment (20°20'N 139°32'E to 18°50'N 138°50'E), and
 - o **Toki Escarpment** (20°25'N 139°55'E to 18°00'N 138°30'E)
- Paragraph 4.2.5 (Bathymetric Chart N° 6725) Items 2, 30, 34, 35, 36, 47, 69, 73, 74, 83, 86, 88, 92, 94, 97, 99, 100, 110, 111, 128 and 129 Acceptance by SCUFN-14 of the following names have been endorsed by the Japanese Committee on U.F.N. They are therefore definitively accepted.
 - o Oki-Daito Terrace (25°20'N 131°00'E to 25°00'N 131°40'E),
 - o Kinen Hill (27°28.5'N 131°00.5'E),
 - o Miyajima Hole (27°06.0'N 130°48.0'E),
 - Amanohashidate Hole² (27°20.5'N 130°41.4'E),
 - o **Matsushima Hole** (27°45.5'N 130°36.0'E),
 - Naze Valley (28°25.0'N 132°18.0'E to 28°23.5'N 131°11.0'E to 28°10.5'N to 130°48.0'E),
 - o **Saikaido Seamount Chain** (28°29'N 132°46'E to 28°25'N 134°15'E to 27°15'N 135°02'E),
 - o Chikugo Hill (28°36.0'N 133°55.5'E),
 - o **Buzen Hill** (28°51.6'N 134°34.0'E),
 - o Koho Hole (26°26.5'N 135°30.0'E),
 - o Hokusei-Ryusei Seamount (25°52.4'N 135°10.5'E),
 - o **Kyosei Seamount** (25°35′N 136°12′E),
 - o Minami-Rensei Seamount (25°12.0'N 135°10.2'E),
 - Junsei Seamount (25°19.7'N 136°00.6'E),
 - o Black Hole (25°00.0'N 136°27.6'E),
 - o Minami-Choshinsei Seamount (24°26.5'N 136°11.7'E),
 - o Choshinsei Seamount (24°31.8'N 136°17.4'E),
 - o **Kushimoto Hole** (27°24.0'N 137°34.5'E),
 - o Susami Seamount (26°40.0'N 138°01.5'E),
 - o Nishi-Kaitoku Hill (25°37.0'N 139°45.0'E), and
 - o **Sofu Basin** (29°50'N-139°17'E to 28°15'N-139°05'E to 28°40'N-139°10'E).

2

² Initially proposed as "Hashidate Hole".

- Paragraph 4.2.5 (Bathymetric Chart N° 6725) Item 11 The name Beiju Bank (24°30.9'N 134°19.4'E) is accepted for international use. However, the following remark will be inserted in the Gazetteer "This feature is shown as 'Beiju Seamount' on Japanese charts".
- Paragraph 4.2.5 (Bathymetric Chart N° 6725) Item 43 The name Amami Rise (28°10'N 131°00'E to 28°07'N 132°17'.5E to 28°35'N 133°10'E) is accepted for international use. However, the following remark will be inserted in the Gazetteer: "This feature is shown as 'Amami Plateau' on Japanese charts".
- Paragraph 4.2.5 (Bathymetric Chart N° 6725) Item 51 The name Yaku-Shin-Sone³ Bank (29°46'.5N 130°22'.5E) is accepted for international use. However, the following remark will be inserted in the Gazetteer: "This feature is shown as 'Yaku-Shin-Sone' on Japanese charts (the word 'sone' means 'bank' in Japanese)".
- Paragraph 4.2.5bis (Bathymetric Chart N° 6726) Items 6, 18 and 45 Acceptance by SCUFN-14 of the following names has been endorsed by the Japanese Committee on U.F.N. They are therefore definitively accepted.
 - **Shichiyo Seamount Chain** (29°29'N 140°20'E to 28°34'N 140°38'E to 27°40'N 140°48'E),
 - Kaitoku Seamounts (26°14'N 141°02'E to 26°07'N 141°07'E to 26°03'N 140°57'E), and
 - Uyeda Ridge (27°15.0'N 143°41.5'E to 27°35.5'N 144°46.5'E). To amend, in the Gazetteer, the reason for naming to read "Named for Professor Seiya Uyeda, Japanese Geophysicist, Director, RIKEN International Frontier Research Group on Earthquakes, Tokai University, Japan".
- Paragraph 4.2.5bis (Bathymetric Chart N° 6726) Item 19 The name Kaitoku Bank (26°04'N 140°57'E) is accepted for international use. However, the following remark will be inserted in the Gazetteer :"This feature is shown as 'Kaitoku Seamount' on Japanese charts".
- Paragraph 4.2.5bis (Bathymetric Chart N° 6726) Items 33, 36 and 37 The Japanese Hydrographic Department has indicated that extensive multibeam surveys have been conducted in the area of the following names and that confirmation of their acceptance will therefore be provided at a later date. Secretary to follow-up. Meanwhile, to be kept in RESERVE section of the Gazetteer.
 - o **Suda Ridge** (26°10'N 144°50'E to 25°47'N 149°10'E),
 - Yabe Plateau (26°08N 145°22'E). To insert, in the Gazetteer, the following remark « Position given is the nominal position », and
 - O Uda Spur (25°34'.0N 147°13'.0E to 24°30'N 147°15'E)
- Paragraph 4.2.5bis (Bathymetric Chart N° 6726) Item 38 The Japanese Committee on U.F.N. requested that Ogasawara Rise (26°00'N 144°00'E) be renamed Ogasawara Plateau for historical reasons. After further consideration of the matter, it was recognized that both features, i.e. the rise and the plateau, existed. As a result:
 - Ogasawara Rise (26°00'N 144°00'E) is definitively accepted; and
 - o The following new feature is accepted:

³ Initially accepted by SCUFN-14 as 'Yaku-Shin Bank'. However the Japanese Committee on U.F.N. indicated that the term 'Yaku-Shin-Sone' should be used as a whole.

Ogasawara	26°05'N	GEBCO 5.06
Plateau	145°20'E	

Accepted.

Named after the nearby island of Ogasawara.

- Paragraph 4.2.5bis (Bathymetric Chart N° 6726) Item 46 The name Ramapo Bank (27°16.2'N 145°12.5'E) is accepted for international use. However, the following remark will be inserted in the Gazetteer "This feature is shown as 'Matsubara Seamount' on Japanese charts".
- Paragraph 4.2.5bis (Bathymetric Chart N° 6726) Item 47 The name Nelson Seamount (27°49.5'N 145°42.0'E) is accepted for international use. However, the following remark will be inserted in the Gazetteer "This feature is shown as 'Kiku Seamount' on Japanese charts". Origin of the name has now been provided by the Secretary of ACUF: Named after Horatio Nelson (1758-1805), the British admiral and naval hero. Proposer: Dr. N. Christian Smoot, of the US Naval Oceanographic Office.
- Paragraph 4.2.5bis (Bathymetric Chart N° 6726) Item 66 Proposed name is still awaited for the seamount at 24°23.0'N 148°57.0'E. Secretary to follow-up.
- Paragraph 4.2.6 (Various issues from Japanese Explorations) Proposal for an alternative name to Japanese Guyots (31°30'N 147°30'E to 32°30'N 151°30'E), considered by SCUFN as not specific enough, as well as suggestions for naming various features in the area extending approximately from 29°N 154°E to 35°N 144°E, are still awaited from the Japanese Committee on U.F.N. Secretary to follow-up.

The meeting took note that ACUF have accepted revised positions for **Isakov Seamount** (31°40'N - 151°05'E), i.e. same position as in the GEBCO Gazetteer, and **Makarov Seamount**⁴ (29°30.3'N – 153°28.7'E). The latter generic name, i.e. singular, and position were **accepted** by SCUFN. <u>Gazetteer to be amended</u> accordingly.

- ii. The meeting identified 27 significant features on these Japanese charts, a plateau, hills, seamounts, knolls, that remain "unnamed" pending proposed names from the Japanese Committee on U.F.N.
 - Paragraph 4.2.2 (Bathymetric Chart N° 6315) Item 6 Proposed name is still awaited for the plateau at (24°37.0'N 129°35.0'E). Secretary to follow-up.
 - Paragraph 4.2.3 (Bathymetric Chart N° 6602) Items 4 to 9, 14, 31 & 32 Proposed names are still awaited for the following features. Secretary to follow-up.
 - o the six hills at (33°43.6'N 138°24.6'E), (33°30.0'N 138°08.2'E), (33°35.8'N 138°05.2'E), (33°09.5'N 138°38.2'E), (32°45.0'N 136°55.0'E) and (32°09.0'N 136°25.0'E),
 - o the two seamounts at (33°24.7'N 137°59.8'E) and (33°19.5'N -

_

⁴ "Seamounts" in the GEBCO Gazetteer.

- 137°55.0'E), and
- o the knoll at (33°00.0'N 137°23.3'E).
- Paragraph 4.2.4 (Bathymetric Chart N° 6722) Item 49 Confirmation of topographic significance of the feature at (20°47'N 139°40'E to 19°10'N 139°24'E to 18°44'N 139°37'E), possibly a trough, and a name proposed for this feature, are still awaited. Secretary to follow-up.
- Paragraph 4.2.5 (Bathymetric Chart N° 6725) Items 3, 4, 16, 18 to 25, 49, 55, 56, 65, 66 Proposed names are still awaited for the following features. Secretary to follow-up.
 - o the four hills at (24°50'.4N 131°01.0'E), (26°25.0'N 131°01.0'E), (25°50.'6N 131°40.5'E) and (25°27.0'N 133°43.0'E),
 - o the three knolls at (24°20.0'N 131°55.0'E), (26°21.0'N 130°43.2'E) and (26°03.5'N 131°33.5'E),
 - the seven seamounts at (25°02'N 133°20'E), (26°41.5'N 130°22.0'E), (25°40.3'N 133°15.6'E), (28°37.4'N 131°28.0'E), (28°38.4'N 131°39.3'E), (26°54.5'N 133°58.0'E) and (27°06.2'N 134°13.2'E),
 - \circ the ridge at (25°47.0'N 131°37.0'E to 25°19.0'N 133°16.0'E), and
 - o the trough at (20°47'N 139°40'N to 19°10'N 139°24'N to 18°44'N 139°37'E).

The Japanese Committee on Undersea Feature Names has been asked to submit (at the earliest opportunity) suitable names, e.g. of late distinguished marine scientists, or explorers or exploratory vessels, or others as appropriate.

2.2.2 South Pacific French Polynesia: Proposals from A. Bonneville

The meeting reviewed 28 Polynesian names proposed, via the French Hydrographic Office (SHOM), by Prof. A. Bonneville (bonneville@ufp.pf), LGMT, Tahiti, in French Polynesia. They had been submitted to SCUFN-XIV; however they could not be evaluated at that meeting due to insufficient bathymetric evidence. Bathymetric maps were subsequently provided by SHOM. SCUFN decisions are as follows:

- Paragraph 4.4.1 Items 1, 2, 3, 5, 6, 7, 9, 10, 11, 12, 14, 15, 16, 19, 20, 21, 22 and 23 The following 18 names are accepted without alteration:
 - o 'Arere Seamount (16°48.1'S 155°11.6'W),
 - o 'Oti'a Seamount (17°29.5'S 154°49.9'W),
 - o 'Ori'o Mata Seamount (17°48.8'S 154°04.5'W),
 - o **Honu Seamount** (18°22.6'S 154°05.4'W),
 - o Fafa Piti Seamount (18°57.7'S 154°05.8'W),
 - o **Titi Seamount** (19°27.4'S 153°53.5'W),
 - o 'Ati'apiti Seamount (18°22.5'S 153°04.2'W),
 - Out'eroa Seamount (18°13.2'S 152°44.9'W),
 - o **Tarapapa Seamount** (18°40.4'S 152°47.7'W),
 - o 'Oio Seamount (18°25.7'S 152°22.8'W),
 - o **'Itata'e Seamount** (18°38.1'S 152°27.2'W),
 - o 'Otaha Seamount (18°45.5'S 152°14.4'W),
 - o **Ua'ao Seamount** (18°55.0'S 151°50.3'W),
 - o Fai Seamount (19°22.4'S 148°55.0'W),
 - Fe'e Seamount (19°29.0'S 148°33.1'W),
 - o 'Opahi Seamount (19°35.8'S 147°27.6'W),
 - o **Mo'ora Seamount** (19°47.4'S 147°25.2'W), and
 - Yoto Seamount (19°59.7'S 146°57.8'W).

- **Paragraph 4.4.1 Items 4 and 8** The following two names, initially proposed as seamounts, are **accepted as hills**:
 - o **Paremo Hill** (17°57.1'S 154°31.8'W), and
 - o **Repe Hill** (18°11.7'S 153°33.8'W).
- Paragraph 4.4.1 Item 13 It was remarked that the feature proposed as 'Oa Seamount (18°32.0'S 152°31.9'W) had already been named La Confiance Seamount and Confiance Shoal in the Gazetteer. However after discussion, the meeting decided to accept 'Oa Seamount, to delete La Confiance Seamount and Confiance Shoal in the Gazetteer, and to give the name La Confiance to a ridge in this area, as follows:

La				
Confiance	18°12'S	18°54'S	18°46'S	GEBCO 5.11
Ridge	153°34'W	152°00'W	150°00'W	INT 607, 657

Accepted. Five seamounts lie on this ridge ('Oio Seamount, 'Oa Seamount, 'Itata'e Seamount, 'Otaha Seamount, and Ua'ao Seamount).

Named after the French ship "La Confiance", a converted escort vessel which carried out hydrographic surveys in the area during the 1960s.

• Paragraph 4.4.1 – Item 17 – It was similarly remarked that the feature proposed as Ari'i Moana Seamount (19°13.7'S - 151°32.1'W) had already been named Rigault de Genouilly Shoal in the Gazetteer. However after discussion, the meeting decided to accept the name Ari'i Moana Guyot, to delete Rigault de Genouilly Shoal in the Gazetteer, and to give the name Rigault de Genouilly to a ridge in this area, as follows:

Rigault de			
Genouilly	19°17'S	19°12'S	GEBCO 5.11
Ridge	151°48'W	150°15'W	INT 607, 657

Accepted. Two features lie on this ridge (Ari'i Moana Guyot, and Punu Taipu Guyot).

Named after the French Admiral Rigault de Genouilly (1807-1873) who became Minister of the Navy.

- Paragraph 4.4.1 Item 18 The following name, initially proposed as seamount, is accepted as guvot:
 - o **Punu Taipu Guyot** (19°16.5'S 150°58.8'W).
- Paragraph 4.4.1 Items 24, 25, 26 and 28 The names proposed as Tarava Seamounts (16°50'S 155°10'W to 19°30'S 150°30'W), Lions Saddle (19°15'S 151°17'W), Hini Tautau Seamounts (16°50'S 155°10'W to 19°27'S 153°54'W), and Va'a Tau Piti Seamounts (19°15'S 150°00'W to 20°00'S 146°58'W) are not accepted. Group names are considered unnecessary and the "saddle" is not topographically significant.
- **Paragraph 4.4.1 Item 27** The name proposed as Te Ivitua Seamounts (18°12'S 153°34'W to 19°16'S 150°58'W) is **not accepted** since this feature has been given the name La Confiance Ridge (see above).

2.2.3 International Bathymetric Chart of the Central Eastern Atlantic (IBCEA) Sheet 1.03

Of the 71 names proposed for IBCEA Sheet 1.03 to SCUFN-14, several were not accepted due to lack of topographic expression. However, some of the names proposed were those of historical figures who had played a prominent role in this area, in particular: John Young Buchanan, Francisco Afonso Chaves, Georges Pouchet and Julien Thoulet. The meeting suggested that significant features should be identified and named for them.

Furthermore, several proposals indicated an incorrect interpretation of the Portuguese generic term "planalto" as being "shelf" or "flattish basin floor" rather than "terrace" in the morphlogical sense, i.e. slope-flattish area – slope in descent. As a result, the relevant proposals were modified jointly by Prof. Jean-René Vanney (<u>Jean-Rene Vanney@paris4.sorbonne.fr</u>), U. of Paris-IV, France and the Portuguese Hydrographic Department (<u>fialho.lourenco@hidrografico.pt</u>), and re-submitted in October 2002.

SCUFN decisions are as follows:

• Paragraph 4.1.6 – Item 12

Buchanan	38°04'N	38°30'N	IBCEA 1.03
Ridge	32°20'W	31°32'W	

Accepted.

Named after the Scottish Oceanographer John Young Buchanan (1864-1925), Geography assistant at Cambridge, who, after the Challenger cruise, took part in the Princesse Alice cruises (Prince Albert 1er of Monaco's yacht), from 1892 to 1894 and from 1898 to 1902, in the vicinity of the Azores.

• Paragraph 4.1.6 – Item 13

Chaves	37°36'N		IBCEA 1.03
Seamount	27°05'W		

Accepted. Not bounded, open to south-west. Relief: 1,100 m. Last depth: 1,163 m

Named after the military Colonel, living in the Azores, Francisco Afonso Chaves (Lisboa, 1857 - Ponta Delgada, 1926). He played an important role in the creation of the Meteorological Office of the Azores with the support of Prince Albert 1er of Monaco and King Carlos I. He also worked in scientific fields (magnetism, seismology, meteorology, etc.) in the Archipelago.

Paragraph 4.1.6 – Item 14

Corvo	40°25'N	40°25'N	40°25'N	IBCEA 1.03
Terrace	32°39'W	31°37'W	30°52'W	

Not accepted. This is not a "terrace", just part of the slope.

As a general note, SCUFN questions whether several features shown on IBCEA Chart 1.03 as "Planalto", e.g. Flores Planalto, meet the generic description for a "Terrace", as in IHO-IOC Publication B-6.

• Paragraph 4.1.6 – Item 21

Famous	36°00'N	36°15'N	36°30'N	IBCEA 1.03
Terrace	33°00'W	31°38'W	30°10'W	

Not accepted. Indistinct deepest region. This is not a "terrace".

• Paragraph 4.1.6 – Item 34

Graciosa	39°22'N	40°00'N	39°58'N	39°21'N	IBCEA
Terrace	28°25'W	28°23'W	27°10'W	27°12'W	1.03

Already accepted at SCUFN-14. Positions revised as above.

• Paragraph 4.1.6 – Item 42

Kurci	40°52'N	40°31'N	40°36'N	40°43'N	IBCEA
F.	30°27'W	29°37'W	29°18'W	28°32'W	1.03

Already in Gazetteer. Positions again revised as above.

• Paragraph 4.1.6 – Items 44 and 45

Hirondelle	38°30'N	38°15'N	37°55'N	IBCEA 1.03
Basin	26°50'W	26°25'W	26°02'W	

Accepted.

Named after "Hirondelle", the first oceanographic vessel of Prince Albert 1er of Monaco, who gave the feature this name.

Note: The two names **L'Hirondelle Norte Basin** (38°22'N - 26°39'W) and **L'Hirondelle Sul Basin** (38°00'N - 26°11'W), which were accepted at SCUFN-XIV, have now been grouped on the single name **Hirondelle Basin**, and <u>they should therefore be removed from the Gazetteer</u>. It is further confirmed that the name of Prince Albert's vessel was "Hirondelle", not "L'Hirondelle".

• Paragraph 4.1.6 – Item 58

Pouchet	36°47'N		IBCEA 1.03
Hill	28°40'W		IBCLA 1.03

Accepted. Relief: 900m; Least depth: 2300m.

Named after the French biologist Georges Pouchet (1833-1894), one of the first coworkers of Prince Albert 1er of Monaco. He suggested the first researches initiated by Prince Albert around the Azores, from 1885 on board "Hirondelle".

• Paragraph 4.1.6 – Item 69

	27025D I		ID CE A 1 02
Thoulet	37°25'N		IBCEA 1.03
Seamount	28°35'W		

Accepted. Relief: 1,500 m.

Named after Julien Thoulet (1843-1936), French scientist, engineer, then Professor at the University of Nancy (mineralogy, cartography). Thoulet was a close collaborator with Prince Albert 1er of Monaco and a leading member of the Commission established by the 7th International Geographic Congress (1899) which was 'charged with the preparation of a bathymetric map of the oceans'; this became the 1st edition of GEBCO.

2.2.4 Others

• Paragraph 4.3.3 – Item 23 - Origin of the name "Petrock", for Petrock Valley (47°34.8'N - 08°22.3'W to 47°32.0'N - 08°06.6'W) is still unknown. Secretary to follow-up.

3. PROPOSALS ON RECORD OR SUBMITTED DURING INTERSESSIONAL PERIOD

3.1 Arctic Ocean - Langseth Ridge/ Karasik Seamount

The following three proposals for an elevation in the Arctic Ocean have been submitted to SCUFN:

i) Karasik Seamount (86°43.0' N - 61°17.6'E)

Proposer: Joern Thiede and Hans-Werner Schenke Alfred-Wegener-Institut, Bremerhaven, Germany, 2001.

Relief: 2,000 m; Least depth: 566m.

Proposed to be named after Arkady Moiseyevich Karasik (1930-1987), a Russian geophysicist who led aeromagnetic studies and expeditions in the Arctic.

ii) **Langseth Ridge** (87°00'N - 62°30'E to 89°39'N - 62°30'E)

Proposers: Bernard Coakley et al, USA, 2001.

Proposed to be named after the late Dr Marcus Langseth of Lamont-Doherty Earth Observatory (USA), who studied the heat flow within the mid-ocean ridges.

iii) Leninskiy Komsomol Seamount (86°40.5'N – 60°50.0'E)

Proposer: Russian Hydrographic Office (HDNO), 2002.

Least depth: 391m.

Proposed to be named for the Russian submarine *Leninskiy Komsomol* which in 1964 was the first Russian submarine to surface at the North Pole.

This considerable elevation was discovered by Soviet scientists in 1965 and appears on a geological map and a Soviet nautical chart published in 1965, but no name was then given. These show the occurrence as clearly as the 1997-1998 *USS Hawkbill* data upon which the Coakley *et al.* 2001 proposals is based. That proposal led ACUF to accept the name "Langseth Ridge" for the overall elevation in 2001. Since the 1965 discovery (also shown

in A.F. Treshnikov *et al.* "Geographical names of the main features of bottom topography of the Arctic Basin" in "Problems of the Arctic and Antarctic"; 1967) clearly predates the *Hawkbill* or Thiede-Schenke operations, SCUFN agreed that views from Russian authorities should be sought before making a decision. The Russian Hydrographic Office (HDNO) has prepared and submitted a definitive proposal (2002) detailing the 1960's investigations; this awaits SCUFN's inspection. It indicates that the least depth on the seamount is 391 m; the name proposed for that feature is "Leninskiy Komsomol Seamount". At present it is not clear whether that name, which certainly should designate the shoalest locality, should also be given to the entire rather linear feature for which ACUF gave the name "Langseth Ridge". Hence that name, i.e. "Langseth Ridge", for the feature, 87°00'4N, 62°30'E to 89°39'N, 62°30'E, will be placed in the RESERVE Section of the Gazetteer, pending a SCUFN review.

With regard to the Thiede-Schenke use of the name "Karasik', the meeting remarked that a significant feature, elsewhere in the Arctic, had already been named after Arkady Karasik, as follows:

Karasik	83°00'N	84°38'N	GEBCO 5.17
Valley	153°20'E	157°40'E	

This name, not yet in the Gazetteer, was accepted.

Named after Arkady Mikhailovich Karasik (1930-1987), Russian geophysicist, Doctor of Geology and Mineralogy, who led aeromagnetic studies and expeditions in the Arctic.

3.2 Central Pacific - Ann Judge and Joe Fergusson Seamounts

Ann Judge	30°31'N	GEBCO 5.06
Seamount	172°26'E	

Accepted. Relief:2,500m; Least depth: 2,924m.

Discoverer: NOAA Ship "OCEANOGRAPHER" Date: 1972

Proposer: Gail Susan Cleere (for project Marco Polo students and teachers)

History: Ann Judge, National Geographic Society, was dedicated to geography and

oceanography education, working closely with the Geography Education Foundation as well as the U.S. Navy on Project Marco Polo. She died on American Airlines Flight 77's crash into the Pentagon on 11 September

2001.

Joe Fergusson	30°14'N	GEBCO 5.06
Seamount	171°29'E	

Accepted. Relief: 2,000m; Least depth 3,660m.

Discoverer: NOAA Ship "OCEANOGRAPHER" Date: 1972
Proposer: Gail Susan Cleere (for project Marco Polo students and teachers)

History: Joe Fergusson, with National Geographic Society, was dedicated to geography and oceanography education, working at the Society's

Geography Education Foundation as well as the U.S. Navy on Project Marco Polo. He died on American Airlines Flight 77's crash into the Pentagon on 11 September 2001.

Girdler Ridge	13°27.5'N 49°21.0'E	12°13.6'N 48°35.1'E	GEBCO 5.05
---------------	------------------------	------------------------	------------

Accepted Relief (max): 1,660m; Length: 165km; Width: 18-22km.

Discoverer: Various, but see Fisher and Goodwillie Chart, May 2002
Proposer: Dr. James R. Heirtzler, Goddard Space Flight Center, USA

History: Named after Dr. Ronald W Girdler (1930-2001) who was a pioneer marine

geophysicist, long working specifically in the Red Sea and the Gulf of

Aden.

Remark: While considering this item, in the Gulf of Aden, SCUFN noted there may

be doubt about topographic evidence for the existence of "West Sheba

Ridge" and "East Sheba Ridge".

4. INTERNATIONAL BATHYMETRIC CHART OF THE SOUTH-EASTERN PACIFIC (IBCSEP)

The ten names listed below were proposed by the Chilean Hydrographic Office (SHOA) (shoa@shoa.cl), with the intention of showing them on IBCSEP sheet(s) under Chile's responsibility [References: 1) SHOA's letter 13200/50, dated 10 Sep. 2002, to Dr. R.L. Fisher, Chairman of SCUFN; and 2) SHOA's fax 018/2002, dated 4 Oct. 2002, to Capt. H. Gorziglia, IHB Director]. SCUFN's decisions are as follows:

• Valparaiso Basin 32°43'S - 72°09'W

Not accepted. From the evidence available (GEBCO Sheet 5.11) this feature is not a "Basin". It appears to be a "Terrace". More bathymetric evidence is needed. Secretary to follow-up.

Abrauco Basin 37°25'S - 73°30'W
 Valdivia Basin 39°03'S - 73°29'W
 Chiloé Basin 43°20'S - 74°40'W

Not accepted. The <u>bathymetric evidence provided is insufficient</u> to be definitive. <u>Secretary to follow-up</u>. It appears that these three features are on the continental slope and therefore within the national jurisdiction of Chile.

MOCHA Fracture Zone	41°26'S 85°09'W	GEBCO 5-11
VALDIVIA Fracture Zone	41°20'S 91°10'W	GEBCO 5-11
GUAFO Fracture Zone	45°22'S 85°05'W	GEBCO 5-11

Already in GEBCO Gazetteer. **Revised positions** proposed by SHOA, as above, **accepted**. However <u>further details are needed</u>, in particular, two or more positions to delineate such features as fracture zones. Secretary to follow-up.

ACONCAGUA	32°42'S	32°37'S	GEBCO 5-11
Canyon	71°44'W	71°55'W	
LA LIGUA	32°17'S	32°21'S	GEBCO 5-11
Canyon	71°39'W	71°53'W	
BIOBIO	36°50'S	36°38'S	GEBCO 5-11
Canyon	73°22'W	74°09'W	

Accepted. These three submarine canyons are most characteristic of the region and hence most deserving of names. Secretary to enquire on the origin of these three names.

As a general note, the meeting remarked that more detailed and clear bathymetric evidence, with larger scale plots, will be required for SCUFN review before IBCSEP sheets are published.

5. PROPOSED CHANGES FOR THE GEBCO GAZETTEER DATABASE

a. Suggested revisions/additions from G. Agapova, with R.L. Fisher's comments

The meeting reviewed a list of names already included in the GEBCO Gazetteer and for which suggestions for changes/additional details had been made by Dr. G. Agapova, with subsequent comments by Dr. R.L. Fisher. An up-to-date list of these names with details as agreed by the meeting is in Annex 6. Secretary to insert the revised entries in the GEBCO Gazetteer database.

b. Review/recommendations of current "Reserve" section entries

Due to lack of time, this item could not be considered by the Meeting. It was agreed that a careful review of all names currently listed in the Reserve Section of the GEBCO Gazetteer database would be made at the XVIth SCUFN Meeting.

6. STANDARDIZATION OF UNDERSEA FEATURE NAMES – NEW EDITIONS OF IHO-IOC PUBLICATION B-6

- a. English/French version, 3rd Edition, April 2001
- b. English/Spanish, 3rd Edition (new)
- c. English/Russian, 3rd Edition (new)

The Secretary reported that the English/French version of the 3rd edition of B-6 had been published in 2001 by the IHB and that it was available from the GEBCO website (www.ngdc.noaa.gov/mgg/gebco/). He further mentioned that English/Spanish and English/Russian versions were under preparation at the IHB and by Dr Agapova, respectively.

7. GEBCO GAZETTEER

a. Demonstration of new programme

The Secretary demonstrated the new Gazetteer management software that is used at the IHB to maintain the Gazetteer database. Various functions of the programme were explained to attendees.

b. New Edition of IHO-IOC Publication B-8

The Secretary mentioned that the current GEBCO Gazetteer of Undersea Feature Names, as approved by SCUFN, was available from the IHO website. He further indicated that revised versions were produced from time to time, from the Gazetteer database maintained at the IHB. This would form the basis for a new edition of IHO-IOC Publication B-8.

8. LIAISON WITH THE UNITED NATIONS GROUP OF EXPERTS ON GEOGRAPHIC NAMES (UNGEGN)

At the request of Capt. H. Gorziglia, IHB Director, the meeting discussed how SCUFN could more closely liaise with UNGEGN in compliance with SCUFN's Term of Reference 3.9 (1993): "The Sub-Committee shall maintain close liaison with the UN Group of Experts on Geographical Names and national authorities concerned with the naming of undersea features".

The bilaterally-negotiated Resolution 22 of the 3rd UN Conference on the Standardization of Geographical Names (1977) and the SCUFN Terms of Reference (1993) outline the basic mandate under which SCUFN carries out its duties. These two documents are reproduced in Annex 7. It results that, as a practical matter, most of the solicitations/reception of names proposals, distribution of decisions and publication of the GEBCO Gazetteer are now undertaken directly through IHO-IOC auspices and facilities.

After discussion, it was felt that providing UNGEGN Chairman/Secretary with copies of minutes of SCUFN meetings as well as any new editions of products issued under SCUFN responsibility⁵ e.g. GEBCO Gazetteer; Guidelines for Standardization of Undersea Feature Names, in addition to the provision of a brief report on SCUFN activities to UNGEGN meetings/conferences, as has been done so far, would meet the requirement for maintaining close liaison with UNGEGN.

9. REVIEW OF ACUF NAMES DECISIONS FROM MEETINGS Nos. 285 (JUNE 2001) to 291 (JUNE 2002)

ACUF Meeting 285 (June 2001)

Bernard	26°53'N	GEBCO
Seamount	177°10'E	5-06

Proposer: Capt. Timothy McGee, US Naval Oceanographic Office, April 2001

Discoverer: D/V Glomar Challenger, May 1982

 $[\]label{eq:second-constraint} 5 \ \ Also \ available \ from \ the \ GEBCO \ website: \ (\underline{www.ngdc.noaa.gov/mgg/gebco/underseafeatures.html}).$

Accepted. [but see 1st Note under West Seamount, Meeting 290, below]. Relief: 2,508 m; Least depth: 2,912 m.

Named from Mr. Landry J. Bernard, civilian scientist at the US Naval Oceanographic Office.

Studds	46°00'N	GEBCO
Seamount	155°04'W	5-07

Proposer: Capt. Albert E. Theberge, US NOAA; November 2001.

Discoverer: USCGC Jarvis; 1955.

Accepted, with revised position as above. Relief: 3,600 m; Least depth: 1600 m. SCUFN recognizes the significance of RAdm. Studds career and field accomplishments.

Named from Rear Admiral Robert F.A. Studds, who wa Director of the US Coast and Geodetic Survey from 1950 to 1955. In command of USS Pathfinder, he discovered in the 1950's several seamounts in the Gulf of Alaska and the North Pacific.

Comments by SCUFN-XV

SCUFN does recognize that ACUF custom has come to include commemoration of retiring US agency officials and senior personnel. It appears that naming a seamount for an individual has become almost a "retirement benefit". SCUFN has concurred with such ACUF decisions in almost every case; indeed, SCUFN is almost forced to do so if the feature selected does not already have a name. However SCUFN does strongly urge that for appropriate international acceptance and lasting use, living individuals so commemorated should be known widely outside their own organizations. ACUF is invited to consider the result, if such is not the case, should its current practices be given worldwide application by similar bodies.

Furthermore, ideally the feature selected should have some geographic or scientific relevance to the honoree's activities.

ACUF Meeting 286

Essaouira	32°40' N	IBCEA
Promontory	12°00' W	1-04

Proposer: Dr. Hans A. Roeser, BGR, Germany: July 2001.

Discoverer: FS Meteor, Germany; February 1992.

Accepted as a "Promontory", instead of the proposed "Rise". From the data provided this feature does not appear to be a "Rise". Whilst recognizing the feature as a sedimented elevation, SCUFN can accept it as a "Promontory" extending some 200km from the Moroccan Coast.

Named from the nearby Moroccan city of Essaouira.

Essaouira	32°45' N	IBCEA
Seamount	13°12' W	1-04

Proposer: Dr. Hans A. Roeser, BGR, Germany; July 2001.

Discoverer: FS Meteor, Germany; February 1992.

IOC-IHO/GEBCO SCUFN-XV/3

Page 20

Accepted. Relief: 1,600 m; Least depth: 2,600 m. Seamount with two peaks.

Named from the nearby Moroccan city of Essaouira.

ACUF Meeting 287

Of the items presented by ACUF, the only one for SCUFN consideration was:

James King	4°15'N	GEBCO
Seamount	179°42'E	5-06

Proposer: Mr. Carl Nelius, US NIMA; 2001. Discoverer: R/V Kana Keoki; April 1977.

Accepted as "James King Seamount", instead of the ACUF agreed "King Seamount", to distinguish this feature from "King Seamount", after Lester King, located off South Africa at 39°09'S - 26°09'E. Relief: 2,150 m; Least depth: 3,354 m.

Named after General James C. King, who, at the US NIMA, played a key roler in leading the development of the US Digital Nautical Chart (DNC).

In the interests of clarification: "Annan Seamount" was renamed "Whitney Seamount" (9°00'N - 21°10'W) by SCUFN-XIV. "Carter Seamount" is a separate feature at 9°03'N - 21°14'W.

ACUF Meeting 288

No action required.

ACUF Meeting 289

Flocco	41°25'S	GEBCO
Seamount	158°15'W	5-11

Proposer: Mr. Scott B. Gudes, US NOAA; November 2001.

Discoverer: USS Arneb; January 1961.

Accepted. Least depth: 2,175m; Relief: 2,900m

Earhart	40°30'S	GEBCO
Seamount	158°15'W	5-11

Proposer: Mr. Scott B. Gudes, US NOAA; November 2001.

Discoverer: USCGC South Wind; January 1966.

Accepted. Least depth: 1,968m; Relief: 3,100m

Matthew M. Flocco and Edward T. Earhart, US Navy personnel from the Naval Ice Center, died on 11 September 2001 in the crash of American Airlines Flight 77 into the Pentagon, Washington D.C.

• Nautilus Spur 82°45'N - 147°00'W

Nautilus Basin 83°00'N - 150°00'W to 79°00'N - 155°00'W to 79°00'N - 170°00'W

to 83°00'N - 174°00' W

Not accepted. Whilst fully realising the significance of the name NAUTILUS (the pioneer nuclear submarine 1958) for these two features, SCUFN cannot, for the present, accept these names. It would appear that the current USGS proposals are based primarily on an obsolete portrayal "Bathymetry of the Arctic Ocean, NRL, 1986". IBCAO printouts (2000) and the Russian map "Bottom relief of the Arctic Ocean" (1999) do not bear out this interpretation.

ACUF Meeting 290

West	26°26'N	GEBCO
Seamount	177°51'W	5-07

Proposer: Radm Thomas Q. Donaldson, US Navy

Discoverer:

Accepted. This feature, apparently near "Bernard Seamount", is accepted despite lack of detailed bathymetric evidence. Relief: 4,300 m; Least depth: 805 m. Circular with three cones at peak.

Named after Rear Admiral Richard D. West, the Oceanographer of the US Navy from 1999 to 2002.

Notes:

- 1) This position (and that of "Bernard Seamount" above) needs checking. Secretary to follow-up.
- 2) The New Zealand 1:1 million scale bathymetric charts were previously considered by SCUFN, with the exception of sheet "COOK". Secretary to obtain a copy of this sheet.

ACUF Meeting 291 (June 2002)

Comments by SCUFN-XV

The subject of seafloor topography, i.e. bathymetry, concerns the shape, with entities, of the seafloor. These are classified and defined by such characteristics, and appropriate generic names are then determined. SCUFN seafloor terminology does not contain entries for theoretical model elements, e.g. 'transform fault" vice "fracture zone"; "inner high" vice "seamount" at faults intersections; "spreading centre" vice "mid-oceanic ridge"; or "triple junction", "propagating rift", "duelling ridge", for example.

SCUFN has noted with concern ACUF member's suggestion that the term "deep" be resurrected as an acceptable generic term. The present stated policy of SCUFN on this matter is:

"The terms "Deep" and "Seabight" are historical terms which should not be changed where already in use, e.g. "Challenger Deep", "Porcupine Seabight"; they should not however be used for naming new features". Ref: SCGN-IX (1991), paragraph 6.1.

10. SCUFN COMMUNICATION: COMPOSITION

It was agreed that the current number of active SCUFN Members is insufficient, with only three members plus the Secretary participating in SCUFN-15. It was further noted that two major

IOC-IHO/GEBCO SCUFN-XV/3

Page 22

contributing members of SCUFN (Dr. R.L. Fisher, Chairman and Mr. D.P.D. Scott) have stated their intention to leave SCUFN after its next meeting in April 2003.

The meeting considered that the matter is of obvious concern and that every effort should be made to enlist appropriate experts, within IHO and IOC, to join SCUFN. It was suggested that the following actions be carried out as a matter of priority:

- Existing SCUFN Members to identify and contact suitable experts in view of their possible participation in SCUFN work;
- IHO and IOC to invite their respective Member States, through CLs, to provide experts to join SCUFN in deliberations.
- Chairman GEBCO to contact identified personalities with recognized expertise in this field to seek their possible acceptance to serve as Chairman of SCUFN.

11. ANY OTHER BUSINESS

The next, 16th, SCUFN Meeting will again take place at the IHB, Monaco, on 10-12 April 2003.

LIST OF PARTICIPANTS

I. Members of SCUFN (7-10 October)

Dr. Robert L. FISHER (Chairman)

Geosciences Research Division Scripps Institution of Oceanography La Jolla, Calfornia 92093-0220 UNITED STATES OF AMERICA

Fax: +1 (858) 534-0784 Tel: +1 (858) 534-3597 Time Zone: -8 (Summer -7)

Dr. Galina AGAPOVA

Geological Institute of the Russian Academy of Sciences Pyzevskiy, 7 109017 Moscow RUSSIAN FEDERATION Fax: +7 (095) 231-8106

Tel.: +7 (095) 230-8180 or 8145 E-mail: dmarine@geo.tv-sign.ru

II. By invitation

Capt. Hugo GORZIGLIA

Director International Hydrographic Organization 4 quai Antoine 1er B.P. 445 MC-98011 MONACO

Fax: +377 93 10 81 40 Tel.: +377 93 10 81 01 E-mail: dir2@ihb.mc

Mr. LI SIHAI

National Marine Data and Information Service State Oceanic Administration 93 Liuwei Rd. Hedong District 30017 Tianjin CHINA

Fax: +8 62224304408 Tel.: +8 6222430072

E-mail: lsh@mail.nmdis.gov.vcn

Mr. Desmond P.D. SCOTT

Cumbers, Mills Lane Sidlesham, Chichester West Sussex P020 7LX UNITED KINGDOM Fax: +44 (1243) 641 222

Fax: +44 (1243) 641 222 Tel.: +44 (1243) 641 222

E-mail: desmond.scott@messages.co.uk

Ing. en Chef Michel HUET (Secretary)

International Hydrographic Bureau 4, Quai Antoine 1er B.P. 445 - MC 98011 Monaco Cedex PRINCIPALITY OF MONACO

Fax: +377 93 10 81 40 Tel: +377 93 10 81 04 E-mail: pac@ihb.mc

Time Zone: +1 (Summer +2)

Dr. Dmitri TRAVIN

Intergovernmental Oceanographic Commission UNESCO
1 rue Miollis
75732 Paris Cedex 15
France

Fax: +33 (1) 45 68 58 12 or 5807 Tel: : +33 (1) 45 68 40 44 E-mail: d.travin@unesco.org

_

Annex 1/Page 2			

Intentionally left blank

GEBCO SUB-COMMITTEE ON UNDERSEA FEATURE NAMES (SCUFN)

15th Meeting, IHB, Monaco 7-10 October 2002

AGENDA

- 1. Introduction Approval of Agenda
- 2. Matters remaining from previous meetings :
 - a. From SCUFN-13 (Dartmouth, Canada, June 1999)
 - i. Southwest Pacific/New Zealand region;
 - ii. Central Eastern Atlantic (IBCEA Sheets 1.01, 1.06, 1.07 and 1.08)
 - iii. Others
 - b. From SCUFN-14 (Tokyo, Japan, April 2001)
 - i. Japan/Western Pacific: Review of SCUFN actions by Japanese Undersea Feature Names Committee: initiation of proposals
 - ii. South Pacific French Polynesia: Proposals from A. Bonneville
 - iii. IBCEA 1.01, 1.06, 1.09, 1.03
 - iv. Others
- 3. Proposals on record or submitted during intersessional period :
 - a. Arctic Ocean: Langseth Ridge (B. Coakley), Karasik Seamount (J. Thiede)
 - b. Central Pacific: Ann Judge Seamount and Joe Ferguson Seamount (G.S. Cleere)
 - c. Gulf of Aden: Girdler Ridge (J.R. Heirtzler)
 - d. Others
- 4. Proposals submitted by IOC-IBC Editorial Boards: IBCM, IBCCA, IBCEA, IBCWIO, IBCWP, IBCAO, IBCSEP
- 5. Proposed changes to the GEBCO Gazetteer Database
 - a. Suggested revisions/additions from G. Agapova, with R.L. Fisher's comments
 - b. Review/recommendations of current "Reserve" section entries
- 6. Standardization of Undersea Feature Names New Editions of IHO-IOC Publication B-6
 - a. English/French version, 3rd Edition, April 2001
 - b. English/Spanish, 3rd Edition (new)
 - c. English/Russian, 3rd Edition (new)
- 7. GEBCO Gazetteer
 - a. Demonstration of new programme
 - b. New Edition of IHO-IOC Publication B-8
- 8. Liaison with the United Nations Group of Experts on Geographic Names (UNGEGN)
- 9. Review of ACUF names decisions from Meetings No. 285 (2000) to No. 291 (June 2002)
- 10. SCUFN Communication : Composition
- 11. Any Other Business

IOC-IHO/GEBCO SCUFN-XV/3 Annex 2/Page 2

Intentio	nally left blank

LIST OF DOCUMENTS

- 1. IOC-IHO/GEBCO SCUFN-XIII/3 (Darmouth, Canada, June 1999)
- 2. IOC-IHO/GEBCO SCUFN-XIV/3 (Tokyo, Japan, 17-20 April 2001)
- 3. New Proposal on Arctic Ocean submitted by Dr. Galina AGAPOVA (Leninsky Komsomol)
- 4. Response to pending issues related to Japanese Undersea Feature Names Committee
- 5. Letters from Dr. K. YASHIMA dated 3 and 7 October 2002 concerning Japanese names issues
- 6. 13 Proposals from the Instituto Hidrográfico de Portugal, concerning IBCEA 1.01 and 1.03 (Fax from Capt. A.M. EZEQUIEL dated 8 October 2002)
- 7. Comments on point 2 of the Agenda Matters remaining from previous meetings :
 - a. From Trent PALMER, USBGN (E-mail dated 9 October 2002);
 - b. From Olivier PARVILLERS, SHOM (E-mail dated 27 September 2002
- 8. 10 New Proposals from Hydrographic and Oceanographic Service of Chile (Fax from Capt. F. MINGRAM, Director, SHOA, Chile dated 10 September 2002)
- 9. Additional Information on 10 New Proposal from SHOA, Chile (See No. 8) (Fax from Cdt.R.GARNHAM dated 4 October 2002)
- 10. Additional Information on 3 Feature Names (E-mail from Dr. AGAPOVA dated 27 March 2002)
- 11. Minutes of ACUF Meetings 285 290 plus supplemental documentation (Letters from Trent Palmer, ACUF Secretary, dated 12 and 20 September 2002)
- 12. Comments on Prof. BONNEVILLE's proposals on South Pacific French Polynesia (E-mail from Dr. AGAPOVA)
- 13. 2 Proposals on Central Pacific : Ann Judge Seamount and Joe Fergusson Seamount (G.S. Cleere)
- 14. Contribution to GEBCO Centenary Celebration "GEBCO's role in Seafloor Terminology" by R.L. FISHER: Chapter 7 of Centenary Volume
- 15. Resolution 2.2 Undersea Feature Names, page 13 of the Third UN Conference on the Standardization of Geographical Names, Athens, 17 August-7 September 1977 (UN Publication E/CONF.69/3/Add.7)
- 16. Point 8. Treatment of names of features beyond a single sovereignty and Point 26. Standardization of names of undersea features beyond a single sovereignty. In Annex II of the GEBCO Sub-Committee on Geographical Names and Nomenclature of Ocean Bottom Features, Second Session, Ottawa, Canada, 3-5 February 1976
- 17. IHO Technical Resolution A 4.2 International Standardization of Geographical Names and IHO Technical Resolution A 4.3 Naming of Undersea Features

IOC-IHO/GEBCO	SCUFN-XV/3
Annex 3/Page 2	

Intentionally left blank

LIST OF ACRONYMS

ACUF Advisory Committee on Undersea Features (to the US BGN)

AGSO Australian Geological Survey Organization

AWI Alfred-Wegener-Institut für Polar - und Meeresforshung (Germany)

BAS British Antarctic Survey (UK)

BGN Board on Geographical Names (USA)

CANOMA Canadian Permanent Committee on Geographical Names (now GNBC)

CIEM Commission Internationale pour l'Exploration Maritime

CIOH Centro de Investigaciones Oceanograficas e Hidrograficas (Colombia)

CGISS Center for Geophysical Investigation of the Shallow Surface (USA)

CSIRO Commonwealth Science and Industry Research Organisation (Australia)

GNBC Geographical Names Board of Canada (formerly CANOMA)

GEBCO General Bathymetric Chart of the Oceans (IOC/IHO)

HO Hydrogaphic Office

IBCCA International Bathymetric Chart of the Caribbean Sea and the Gulf of Mexico (IOC)

IBCEA International Bathymetric Chart of the Central Eastern Atlantic (IOC)

IBCWIO International Bathymetric Chart of the Western Indian Ocean (IOC)

IFREMER Institut français pour l'exploration de la mer (France)

IGA Ingénieur Général de l'Armement (France)

IHB International Hydrographic Bureau (IHO)

IHO International Hydrographic Organization

INT (Charts) International (Charts) (IHO)

IOC Intergovernmental Oceanographic Commission (of UNESCO)

IOS Institute of Oceanographic Sciences (United Kingdom)

IRD Institut pour la recherché et le développement (France)

JHD Japan Hydrographic Department

LDEO Lamont Doherty Earth Observatory (USA)

LINZ Land Information New Zealand

LGMT Laboratoire de Géosciences Marines et Télédétection (Tahiti, French Polynesia)

NIWA National Institute of Water and Atmospheric Research Ltd (New Zealand)

IOC-IHO/GEBCO SCUFN-XV/3

Annex 5/Page 2

NOAA National Oceanic and Atmospheric Administration (USA)

NRL Naval Research Laboratory (USA)

NZOI New Zealand Oceanographic Institute (NIWA)

ORSTOM Office pour la Recherche Scientifique et Technique Outre-Mer (France) (now IRD)

RANHS Royal Australian Navy Hydrographic Service

SCDB Sub-Committee on Digital Bathymetry (of GEBCO).

SCGN Sub-Committee on Geographical Names and Nomenclature of Ocean Bottom Features (now SCUFN)

SCUFN Sub-Committee on Undersea Feature Names (of GEBCO)

SGSM Station Géodynamique Sous-Marine (France)

SHOM Service Hydrographique et Océanographique de la Marine (France)

SIO Scripps Institution of Oceanography (USA)

UFN Undersea Feature Names

UNGEGN United Nations Group of Experts on Geographical Names

UTIG University of Texas, Institute for Geophysics

USNOO United States Naval Oceanographic Office (USA)

VOC Dutch East India Company (16th and 17th centuries)

WHOI Woods Hole Oceanographic Institute (USA)

ALPHABETIC INDEX OF UNDERSEA FEATURE NAMES CONSIDERED AT SCUFN -XV

Note: All names of Annex 6 (already listed alphabetically) and Appendix A (related to SCUFN-XIV) are not included in this list.

Name	Page	Name	Page
------	------	------	------

Abrauco Basin 16 Aconcagua Canyon 17 Akademik Kurchatov F.Z. 5 Ake-No-Myojo Seamount 7 Amami Rise 8 Amanohashidate Hole 7 Ann Judge Seamount 15 Antipodes Escarpment 2 Anton Leonov Seamount 10 Ari'i Moana Guyot, 11 Ari'i Moana Seamount 10 Beiju Bank 8 Bernard Seamount 19 Bijagós Canyon 4 Biobio Canyon 17 Black Hole 7 Buchanan Ridge 12 Buzen Hill 7 Castro Terrace 3 Chikugo Hill 7 Chikugo Hill 7 Chioé Basin 16 Choshinsei Seamount 7 Corvo Terrace 13 Earhart Seamount 21 Echo Bank 3		
Akademik Kurchatov F.Z. Ake-No-Myojo Seamount 7 Amami Rise 8 Amanohashidate Hole 7 Ann Judge Seamount 15 Antipodes Escarpment 2 Anton Leonov Seamount 10 Ari'i Moana Guyot, 11 Ari'i Moana Seamount 10 Beiju Bank 8 Bernard Seamount 10 Bijagós Canyon 4 Biobio Canyon 17 Black Hole 7 Buchanan Ridge 12 Buzen Hill 7 Castro Terrace 3 Chaves Seamount 12 Chikugo Hill 7 Chiloé Basin 16 Choshinsei Seamount 7 Corvo Terrace 13 Earhart Seamount 2	Abrauco Basin	16
Ake-No-Myojo Seamount Amami Rise Amanohashidate Hole 7 Ann Judge Seamount 15 Antipodes Escarpment 2 Anton Leonov Seamount 5 'Arere Seamount 10 Ari'i Moana Guyot, Ari'i Moana Seamount 11 'Ati'apiti Seamount 10 Beiju Bank Bernard Seamount 19 Bijagós Canyon 4 Biobio Canyon 17 Black Hole 7 Buchanan Ridge 12 Buzen Hill 7 Castro Terrace 3 Chaves Seamount 12 Chikugo Hill 7 Chiloé Basin 16 Choshinsei Seamount 7 Corvo Terrace 13 Earhart Seamount 21	Aconcagua Canyon	17
Amami Rise8Amanohashidate Hole7Ann Judge Seamount15Antipodes Escarpment2Anton Leonov Seamount5'Arere Seamount10Ari'i Moana Guyot,11Ari'i Moana Seamount10Beiju Bank8Bernard Seamount19Bijagós Canyon4Biobio Canyon17Black Hole7Buchanan Ridge12Buzen Hill7Castro Terrace3Chaves Seamount12Chikugo Hill7Chiloé Basin16Choshinsei Seamount7Corvo Terrace13Earhart Seamount21	Akademik Kurchatov F.Z.	5
Amanohashidate Hole Ann Judge Seamount 15 Antipodes Escarpment 2 Anton Leonov Seamount 5 'Arere Seamount 10 Ari'i Moana Guyot, 11 Ari'i Moana Seamount 10 Beiju Bank 8 Bernard Seamount 19 Bijagós Canyon 4 Biobio Canyon 17 Black Hole 7 Buchanan Ridge 12 Buzen Hill 7 Castro Terrace 3 Chaves Seamount 16 Chiloé Basin 16 Choshinsei Seamount 7 Corvo Terrace 13 Earhart Seamount 2	Ake-No-Myojo Seamount	7
Ann Judge Seamount Antipodes Escarpment Anton Leonov Seamount 'Arere Seamount Ari'i Moana Guyot, Ari'i Moana Seamount 'Ati'apiti Seamount 10 Beiju Bank Bernard Seamount 19 Bijagós Canyon Ari'i Moana Seamount 10 Beiju Bank Bernard Seamount 10 Bijagós Canyon 17 Black Hole 7 Buchanan Ridge 12 Buzen Hill 7 Castro Terrace 3 Chaves Seamount 12 Chikugo Hill 7 Chiloé Basin 16 Choshinsei Seamount 7 Corvo Terrace 13 Earhart Seamount 21	Amami Rise	8
Antipodes Escarpment 2 Anton Leonov Seamount 5 'Arere Seamount 10 Ari'i Moana Guyot, 11 Ari'i Moana Seamount 10 Beiju Bank 8 Bernard Seamount 19 Bijagós Canyon 4 Biobio Canyon 17 Black Hole 7 Buchanan Ridge 12 Buzen Hill 7 Castro Terrace 3 Chaves Seamount 12 Chikugo Hill 7 Chiloé Basin 16 Choshinsei Seamount 7 Corvo Terrace 13 Earhart Seamount 21	Amanohashidate Hole	7
Anton Leonov Seamount 'Arere Seamount 10 Ari'i Moana Guyot, 11 Ari'i Moana Seamount 11 'Ati'apiti Seamount 10 Beiju Bank Bernard Seamount 19 Bijagós Canyon 4 Biobio Canyon 17 Black Hole 7 Buchanan Ridge 12 Buzen Hill 7 Castro Terrace 3 Chaves Seamount 12 Chikugo Hill 7 Chiloé Basin 16 Choshinsei Seamount 7 Corvo Terrace 13 Earhart Seamount 21	Ann Judge Seamount	15
'Arere Seamount10Ari'i Moana Guyot,11Ari'i Moana Seamount11'Ati'apiti Seamount10Beiju Bank8Bernard Seamount19Bijagós Canyon4Biobio Canyon17Black Hole7Buchanan Ridge12Buzen Hill7Castro Terrace3Chaves Seamount12Chikugo Hill7Chiloé Basin16Choshinsei Seamount7Corvo Terrace13Earhart Seamount21	Antipodes Escarpment	2
Ari'i Moana Guyot, 11 Ari'i Moana Seamount 11 'Ati'apiti Seamount 10 Beiju Bank 8 Bernard Seamount 19 Bijagós Canyon 4 Biobio Canyon 17 Black Hole 7 Buchanan Ridge 12 Buzen Hill 7 Castro Terrace 3 Chaves Seamount 12 Chikugo Hill 7 Chiloé Basin 16 Choshinsei Seamount 7 Corvo Terrace 13 Earhart Seamount 21	Anton Leonov Seamount	5
Ari'i Moana Seamount 'Ati'apiti Seamount Beiju Bank Bernard Seamount 19 Bijagós Canyon Biobio Canyon Black Hole 7 Buchanan Ridge 12 Buzen Hill 7 Castro Terrace 3 Chaves Seamount 12 Chikugo Hill 7 Chiloé Basin 16 Choshinsei Seamount 7 Corvo Terrace 13 Earhart Seamount 21	'Arere Seamount	10
'Ati'apiti Seamount 10 Beiju Bank 8 Bernard Seamount 19 Bijagós Canyon 4 Biobio Canyon 17 Black Hole 7 Buchanan Ridge 12 Buzen Hill 7 Castro Terrace 3 Chaves Seamount 12 Chikugo Hill 7 Chiloé Basin 16 Choshinsei Seamount 7 Corvo Terrace 13 Earhart Seamount 21	Ari'i Moana Guyot,	11
Beiju Bank 8 Bernard Seamount 19 Bijagós Canyon 4 Biobio Canyon 17 Black Hole 7 Buchanan Ridge 12 Buzen Hill 7 Castro Terrace 3 Chaves Seamount 12 Chikugo Hill 7 Chiloé Basin 16 Choshinsei Seamount 7 Corvo Terrace 13 Earhart Seamount 21	Ari'i Moana Seamount	11
Bernard Seamount 19 Bijagós Canyon 4 Biobio Canyon 17 Black Hole 7 Buchanan Ridge 12 Buzen Hill 7 Castro Terrace 3 Chaves Seamount 12 Chikugo Hill 7 Chioshinsei Seamount 7 Corvo Terrace 13 Earhart Seamount 21	'Ati'apiti Seamount	10
Bijagós Canyon 4 Biobio Canyon 17 Black Hole 7 Buchanan Ridge 12 Buzen Hill 7 Castro Terrace 3 Chaves Seamount 12 Chikugo Hill 7 Chiloé Basin 16 Choshinsei Seamount 7 Corvo Terrace 13 Earhart Seamount 21	Beiju Bank	8
Biobio Canyon 17 Black Hole 7 Buchanan Ridge 12 Buzen Hill 7 Castro Terrace 3 Chaves Seamount 12 Chikugo Hill 7 Chiloé Basin 16 Choshinsei Seamount 7 Corvo Terrace 13 Earhart Seamount 21	Bernard Seamount	19
Black Hole 7 Buchanan Ridge 12 Buzen Hill 7 Castro Terrace 3 Chaves Seamount 12 Chikugo Hill 7 Chiloé Basin 16 Choshinsei Seamount 7 Corvo Terrace 13 Earhart Seamount 21	Bijagós Canyon	4
Buchanan Ridge 12 Buzen Hill 7 Castro Terrace 3 Chaves Seamount 12 Chikugo Hill 7 Chiloé Basin 16 Choshinsei Seamount 7 Corvo Terrace 13 Earhart Seamount 21	Biobio Canyon	17
Buzen Hill 7 Castro Terrace 3 Chaves Seamount 12 Chikugo Hill 7 Chiloé Basin 16 Choshinsei Seamount 7 Corvo Terrace 13 Earhart Seamount 21	Black Hole	7
Castro Terrace 3 Chaves Seamount 12 Chikugo Hill 7 Chiloé Basin 16 Choshinsei Seamount 7 Corvo Terrace 13 Earhart Seamount 21	Buchanan Ridge	12
Chaves Seamount12Chikugo Hill7Chiloé Basin16Choshinsei Seamount7Corvo Terrace13Earhart Seamount21	Buzen Hill	7
Chikugo Hill7Chiloé Basin16Choshinsei Seamount7Corvo Terrace13Earhart Seamount21	Castro Terrace	3
Chiloé Basin16Choshinsei Seamount7Corvo Terrace13Earhart Seamount21	Chaves Seamount	12
Choshinsei Seamount7Corvo Terrace13Earhart Seamount21	Chikugo Hill	7
Corvo Terrace 13 Earhart Seamount 21	Chiloé Basin	16
Earhart Seamount 21	Choshinsei Seamount	7
	Corvo Terrace	13
Echo Bank 3	Earhart Seamount	21
Echo Bunk	Echo Bank	3
Erebus Fracture Zone 4	Erebus Fracture Zone	4
Essaouira Promontory 19	Essaouira Promontory	19

Farancia Garage	20
Essaouira Seamount	20
Estêvão Gomes Fafa Piti Seamount	10
Fai Seamount	11
Famous Terrace	13
Fe'e Seamount	11
Flocco Seamount	20
Focinho Peak	3
Geba Canyon	4
Gil Vicente Spur	3
Girdler Ridge	16
Gololobov Bank	4
Graciosa Terrace	13
Guafo Fracture Zone	17
Hammondsport Bank	5
Heemskerck Fracture Zone	5
Hini Tautau Seamounts	12
Hintsa Seamount	6
Hirondelle Basin	13
Hokusei-Ryusei Seamount	7
Honu Seamount	10
Isakov Seamount	9
'Itata'e Seamount	11
Joe Fergusson Seamount	16
Joseph Gilbert Seamount	2
Junsei Seamount	7
Kaitoku Bank	8
Kaitoku Seamount	8
Karasik Seamount	14
Karasik Valley	15
Kinen Hill	7

IOC-IHO/GEBCO SCUFN-XV/3 Annex 5/Page 2

James King Seamount	20
Koho Hole	7
Kumano Ridge	6
Kurchatov F.Z.	13
Kushimoto Hole	7
Kyosei Seamount	7
Hirondelle Norte Basin	13
Hirondelle Sul Basin	13
La Confiance Ridge	11
La Ligua Canyon	17
Langseth Ridge	14
Le Trou Sans Fond Canyon	3
Leninskiy Komsomol Seamount	15
Lev Tolstoy Seamount	5
Lions Saddle	12
Loko Knoll	4
Mahi Mahi Fracture Zone	2
Makarov Seamount	9
Mandingo Canyon	4
Matsushima Hole	7
Milne Bank	4
Milne Seamounts	4
Minami-Choshinsei Seamount	7
Minami-Rensei Seamount	7
Miyajima Hole	7
Moana Wave Ridge	2
Mocha Fracture Zone	17
Mo'ora Seamount	11
Muroto Ridge	6
Nautilus Basin	21
Nautilus Spur	21
Naze Valley	7
Nella Dan Trough	2
Nelson Seamount	9
Nishi-Kaitoku Hill	7
'Oa Seamount	11
Ogasawara Plateau	9
Ogasawara Rise	8

'Oio Seamount	11
Oki-Daito (North) Ridge	6
Oki-Daito (South) Ridge	6
Oki-Daito Rise	6
Oki-Daito Terrace	7
'Opahi Seamount	11
'Ori'o Mata Seamount	10
'Otaha Seamount	11
'Oti'a Seamount	10
Oualo Canyon	4
'Out'eroa Seamount	10
Paremo Hill	11
Petrock Valley	14
Pillsbury Ridge	
Pouchet Hill	14
Pukao Seamount	6
Punu Taipu Guyot	11
Punu Taipu Seamount	11
Raicho Escarpment	7
Ramapo Bank	9
Repe Hill	11
Rigault De Genouilly Ridge	11
Sadko Seamount	6
Saikaido Seamount Chain	7
Sandile Seamount	6
São Pedro Canyon	3
Shchukin Seamount	4
Shichiyo Seamount Chain	8
Sofu Basin	8
Studds Seamount	19
Sub-Antarctic Escarpment	2
Suda Ridge	8
Susami Seamount	7
Svendsen Ridge	2
Sysoev Seamount	5
Tai-Inreki Seamounts	7
Tancho Escarpment	7
Tarapapa Seamount	11

IOC-IHO/GEBCO SCUFN-XV/3 Annex 5 /Page 3

Tarava Seamounts	11
Te Ivitua Seamounts	12
Terror Fracture Zone	4
Theta Passage	3
Thoulet Seamount	14
Titi Seamount	10
Toki Escarpment	7
Tore Seamounts	3
Tosa Bae Bank,	6
Tropic Seamount	3
Ua'ao Seamount	11
Uda Spur	8

Umvoto Rise	6
Uyeda Ridge	8
Va'a Tau Piti Seamounts	12
Valdivia Basin	16
Valdivia Fracture Zone	17
Valparaiso Basin	16
West Seamount	21
Yabe Plateau	8
Yaku-Shin-Sone Bank	8
Yoto Seamount	11
Zeehaen Fracture Zone	5

IOC-IHO/GEBCO SCUFN-XV/3 Annex 5/Page 4

T 4 4' 11	1 0 1 1 1
Intentionall	v left blank
IIItCIItIOIIuii	y icit biaiix

CORRECTIONS TO THE GAZETTEER BY Dr. G. AGAPOVA AND COMMENTS BY Dr. R.L. FISHER

Note: The following 166 names, already in the GEBCO Gazetteer, were carefully reviewed by SCUFN-XV and their details were approved as indicated. Russian linguists have been consulted about the transliteration of Russian names.

Name: Akademii Nauk

Feature: Rise

Position: 49° 30 N 150 00 E

Proposer: Dr. G.B. Udintsev, IOAN, Russia Date: 1951 Discoverer: Russian R\V "Vityaz" Date: 1951

Referenced: GEBCO 5.02

History: Named from the Russian Academy of Sciences which organized many expeditions to the northern part

of the Pacific Ocean from 1949 to 1957.

Name: Akademik Kurchatov

Feature: Trough

Position: 37°00'S - 123°45'W to 37°15'S - 121°15'W

Proposer: Dr. A.V. Zhivago, IO RAS, Russia. Date: 1999 Discoverer: Russian R/V "Akademik Kurchatov" & "Dmitriy Mendeleev" Date: 1975, 1977

Accredited: SCUFN (Jun.1999) Referenced: GEBCO 5.11

History: Named after the Russian R/V "Akademik Kurchatov" that investigated this feature closely.

Name: Amirante Feature: Trench

Position: 6°00'S - 52°30'E to 9°05'S - 53°50'E

Proposer: Dr. I.M. Belousov, IOAN, Russia. Date: 1961

Discoverer: R/V "Vityaz" 1959; HMS "Owen" 1963.

Referenced: GEBCO 5.09, INT 701, 702

History: Named from the nearby Amirante Islands.

Name: Amundsen

Feature: Basin

Position: 81°45'N - 125°00'E to 86°30'N - 10°00'W

Proposer: not known
Discoverer: not known
Referenced: GEBCO 5.18

History: Named after the Norvegian Polar explorer Roald Amundsen (1872-1928), who led the expedition that

first reached the South Pole in 1911. He also was the first to fligt over the North Pole on a dirigible in

1926.

Remark: Shown as "Fram Basin" in the ACUF Gazetteer.

Note: Amunsen Basin to be kept in RESERVE Section of the Gazetteer for the time being, as evidence at hand

does not seem to indicate a basin. Ensure that same "History" entry appears in Gazetteer for Amundsen

Abyssal Plain, Ridges and Trough.

Name: Arkhangelsky Feature: Fracture Zone

Position: 8°40'N - 37°45'W to 9°20'N - 44°00'W

Proposer: Dr. N.N. Turko, GIN AN, Russia Date: 1987

Discoverer: R/V "Akademik N. Strakhov" Date: 1987, 1988, 1989

Accredited: SCUFN (June 1991) Referenced GEBCO 5.08

History: Named after Academician A.D. Arkhangelsky (1879-1940), a renowned Russian petrologist, tectonicist

and stratigrapher.

Name: Baral Feature: Guyot

Position 1: 25°42'S - 86°35'W

Annex 6/Page 2

Proposer: VNIRO, Russia Date : 4/1993 Discoverer: F.R.V. "Zvezda" Date : 8/1978

Accredited: SCUFN (June 1997)

Referenced INT 810

History: Named after the Russian ichtyologist A.A. Baral (1927-1975) who led many expeditions in the

Atlantic Ocean

Remark: Least depth: 361 m.

Name: Baranov
Feature: Seachannel

Position: 56°00'N - 136°20'W to 55°00'N - 138°20'W

Proposer: not known Discoverer: not known Referenced INT 810

History: Named after the Russian explorer of North America and Aleutian islands A.A. Baranov (1746-1819),

founder of Russian settlements on the Aleutian islands and mainland Alaska (1799-1818).

Name: F.I. Baranov
Feature: Seamount

Position: 34°53.4'S - 119°09.0'W

Proposer: VNIRO, Russia Date: 1993 Discoverer: F.R.V. "Darvin" Date: 1989

Accredited: SCUFN (May 1993)
Referenced GEBCO 5.11
Remark: Least depth: 430 m.

History: Named after the Russian fisheries oceanographer, Prof. F.I. Baranov (1886-1965).

Name: Bardin
Feature: Seamount

Position: 13°56'S - 53°38'E

Proposer: Dr.I.M.Belousov, IOAN, Russia. Date: 1961 Discoverer: R/V "Vityaz" Date: 1959

Referenced: GEBCO 5.09, INT 70, 71, 72, 702

History: Named after the Russian academician I.P.Bardin (1883-1960), Vice-President Academy of Sciences of

USSR.

Name:BarentsFeature:Abyssal PlainPosition:85°00'N - 40°00'E

Proposer: Dr. M.V. Klenova, Plavmornin, Murmansk, Russia Date: 1937 Discoverer: R/V "Persey" Date: 1937

Referenced GEBCO 5.17

Remark: Shown as "Plain" in the ACUF Gazetteer.

History: Named after the Dutch polar explorer V. Barents (1550-1597), who led three expeditions to search for a

seaway from the Atlantic to the Pacific Ocean through the Arctic region (1594-1597)

Name: Barsukov Feature: Seamount

Position: 61°03.5'S - 29°12.5'W

Proposer: Dr. G.B. Udintsev, GEOKHI RAS, Russia Date: 5 / 1995 Discoverer: R/V "Akademik B.Petrov" Date: 1995

Accredited: SCUFN (May 1995)
Referenced GEBCO 5.16
Remark: Least depth: 658 m.

History: Named after the Russian academician B.L. Barsukov (1928-1992), geochemist, former Director of

Vernadsky Institute of Geochemistry, Moscow.

Name: Bellingshausen Feature: Abyssal Plain

Position: 63°00'S - 80°00'W to 65°00'S - 110°00'W

Referenced GEBCO 5.15, 5.18

Remark: Shown as Plain in the ACUF Gazetteer.

History Named after the Russian Admiral F.F.Bellingshausen (1778-1852), participant in the first Russian round the

world expedition (1803-1806) and leader of the first Russian Antarctic voyage (1819-1821), which

discovered Antarctica continent in 1820.

Name: Bellingshausen

Feature: Basin

Position: 63°00'S - 135°00'W to 50°00'S - 85°00'W

Proposer: Dr. P.G. Schott, Germany. Date: 1935 Discoverer: Date: 1819

Referenced GEBCO 5.15, 5.18

History: Named after the Russian Admiral F.F.Bellingshausen (1778-1852), participant in the first Russian round

the world expedition (1803-1806) and leader of the first Russian Antarctic voyage (1819-1821). The expedition discovered Antarctic continent and several islands in the near-Antarctic Atlantic and South

Pacific Oceans in 1820.

Note: Bellingshausen Basin to be kept in RESERVE Section of the Gazetteer for the time being. There is

insufficient evidence to show that this feature can actually be identified by the generic name given.

Name: Belousov Feature: Seamount

Position: 1°27.5'N - 24°58.0'W

Proposer: Dr. G.V. Agapova, GIN RAS, Russia Date: 1993 Discoverer: R/V "Akademik N. Strakhov" Date: 1988

Accredited: SCUFN (may 1993)
Referenced: GEBCO 5.08
Remark: Least depth: 623 m.

History: Named after the Russian tectonicist Professor V.V. Belousov (1907-1990), one of the leaders of the

Russian tectonic school, primarily of vertical movement in crustal evolution.

Name: Bjornoya
Feature: Bank

Position: 75°30'N - 22°00'E

Proposer: not known Discoverer: not known

Referenced: GEBCO 5.17, INT 10

Remark: Shown as Spitsbergen Bank in the ACUF Gazetteer and on the INT Chart..

History: Named from the nearby Bjornoya islands.

Name: Bogorov Feature: Ridge

Position: 42°15'N - 136°15'E to 43°00'N - 136°28'E

Proposer: Dr. G.B. Udintsev, IOAN, Russia. Date: 1951 Discoverer: R/V "Vityaz" Date: 1951

Referenced INT 511

Remark: Shown as "Seamount" in the ACUF Gazetteer.

History: Named after the corresponding member of the RAS V.G. Bogorov (1904-1971), Russian explorer of the

Arctic seas and the Pacific ocean, one of the founders of the Institute of Oceanology of the USSR.

Name: Central Feature: Bank

Position: 75°00'N - 37°00'E Proposer: not known

Discoverer: Russian fishermen 17th century

Referenced INT 10

Remark: Least depth: 115 m.

History: Named from its geographical position in the centre of Barents Sea.

Name: Central Kara

Annex 6/Page 4

Feature: Rise

Position: 77°20'N - 87°40'E to 82°05'N - 77°10'E

Proposer: Dr. N.N.Zubov, Plavmornin. Russia. Date: 1935 Discoverer: R/V "Sadko" First Soviet high latitude expedition Date: 1935.

Referenced GEBCO 5.17

History: Named from its geographical position in the centre of the Kara Sea.

Name: Chagos Feature: Trough

Position: 3°00'S - 74°30'E to 9°00'S - 73°00'E

Proposer: Dr. V.F. Kanaev, M. Tharp, B.Heezen Date: 1963

Discoverer: R/V "Vityaz" 1960, R/Vs "Argo" and "Horizon" 1962,

Remark: Max depth: 5,408 m.

History: Named from its geographical position close to the east side of the Chagos Island.

Name: Chirikov Feature: Seamount

Position: 54° 52.5'N - 152°50.0'W

Discoverer: not known

Accredited: SCUFN (Apr. 1987) Referenced: INT 50, 810

History: Named after the nearby Chirikov island. A.I. Chirikov (1703-1749), a Russian cartographer, participated in

expeditions (1725-1743) that discovered the coast of North America and many islands in the North Pacific

Ocean.

Name: Chirikov Feature: Knoll

Position: 55°32.8'N - 154°23.0'W Remark: Least depth: 182 m

History: Named after A.I. Chirikov (1703-1749), a Russian cartographer who participated in expeditions (1725-

1743) that discovered the coast of North America and many islands in the North Pacific Ocean.

Name: Chukchi
Feature: Abyssal Plain
Position: 76°45'N - 172°00'W

Proposer: Dr. M.M.Somov, NIIGA, Russia. Date: 1950 Discoverer: Polar exp. "Sever-2", "Sever-3", Russia Date: 1949

Referenced: GEBCO 5.17

Remark: Shown as "Plain" in the ACUF Gazetteer. History: Named from the nearby Chukchi Peninsula.

Name: Chukchi Feature: Plateau

Position: 75°N - 170° W to 80° N - 165° W

Proposer: Dr. M.M.Somov, NIIGA, Russia. Date: 1999 Discoverer: Polar exp. "Sever-2", "Sever-3", Russia Date: 1949

Referenced: GEBCO 5.17

Remark: Shown as "Borderland" in the ACUF Gazetteer. History: Named from the nearby Chukchi Peninsula.

Name: Constantine

Feature: Bank

Position: 20°25'S - 171°15'E

Proposer: P.N. Nazimov, Russia Date: 1872

Discoverer: Corvette "Vityaz" Date: 1871 Expedition of Mikluho-Maklaj

Referenced GEBCO 5.10

Remark: Least depth: 104 m. This feature has been cancelled by AUS Notice to Mariners 793/1984.

History: Named after Constantin N. Romanov (1827-1892), participant in expedition on the Pacific Ocean,

Minister of Russian fleet (1853-1881).

Note: Constantine Bank to be kept in RESERVE Section of the Gazetteer.

Name:DanilevskyFeature:SeamountPosition:38°32'S - 47°42'E

Proposer: VNIRO, Russia Date: 4 / 1993 Discoverer: R/V "Zvezda Sevastopolja" Date: 9 / 1980

Accredited: SCUFN (May 1993), SCUFN (Jun. 1997)

Referenced: GEBCO 5.09 Remark: Min depth: 400 m

History: Named after the Russian fisheries oceanographer N.N. Danilevsky (1904-1980), explorer of

the Atlantic and Indian Oceans.

Name: Deryugin Feature: Basin

Position: 53°30'N - 145°45'E

Proposer: Dr. G.B. Udintsev, IOAN, Russia. Date: 1951

Discoverer: R/V "Gagara" 1933 Referenced GEBCO 5.02, INT 512

Remark: Shown as "Deryugina Basin" in the ACUF Gazetteer and on Chart INT 512.

History: Named after K.M. Deryugin (1878-1938), leader of Russian Pacific Ocean expedition 1932-1935, that

carried out systematic survey of Okhotsk Sea on R/V "Gagara".

Name: Dmitri Mendeleev

Feature: Seamount

Position: 4°52'N - 154°58'E

Proposer: N.A. Marova, IOAN, Russia. Date: 3 /1985 Discoverer: R/V "Dmitri Mendeleev" Date: 1982

Accredited: SCUFN (Apr. 1987) Referenced GEBCO 5.06

History: Named after the Russian R/V "Dmitri Mendeleev" that discovered this feature.

Name: Dobrovol'skiy

Feature: Seamount Position: 30°13.9'S - 3

Position: 30°13.9'S - 3°09.2'E Proposer: Dr. B.N/ Koteney, VNIRO, Russia

Proposer: Dr. B.N/ Kotenev, VNIRO, Russia Date: 5 / 1993 Discoverer: F.R.V. " Evrika" Date: 10 / 1975

Accredited: SCUFN (May 1993)
Referenced GEBCO 5.12
Remark: Least depth: 525 m.

History: Named after the Russian oceanographer, Professor A.D. Dobrovol'skiy (1907-1990), explorer of the

Arctic and Pacific Oceans.

Name: Doldrums
Feature: Fracture Zone

Position 1: 8°15'N 40°48'W Position 2: 8°13'N 37°20'W

Proposer: Prof. B. Heezen,USA Date: 1961
Discoverer: R/V "Horizon" Date: 1950

Accredited: SCUFN (June 1991) Referenced GEBCO 5.08

Name: Dorofeev Feature: Guyot

Position: 25°53'S - 84°20'W

Proposer: VNIRO, Russia Date: 1997 Discoverer: F.R.V. "Vjandra" Date: 1980

Accredited: SCUFN (Jun. 1997)
Referenced GEBCO 5.11
Remark: Least depth: 270 m.

Annex 6/Page 6

History: Named after the Russian marine biologist, Prof. S.V. Dorofeev (1893-1962).

Name: Druzhinin Feature: Seamount

Position: 35°46.7'S - 115°33.2'W

Proposer: VNIRO, Russia Date: 1993 Discoverer: F.R.V. "Kulikovo Pole" Date: 1987

Accredited: SCUFN (May 1995) Referenced: GEBCO 5.11

History: Named after Prof. A.D.Druzhinin (1926-1979), Russian ichthyologist, head of the pelagic fish

laboratory at the Russian Institute of Fish Economy and Fisheries. He led several expeditions in the

southeast Pacific.

Name: Dubinin Feature: Trough

Position: 67°40'S - 80°55'E to 68°00'S - 78°00'E

Proposer: Dr. V.G. Kort, IOAN, Russia. Date: 1965 Discoverer: R/V "Ob"" Date: 1957

Accredited: SCUFN (Apr. 1987) Referenced GEBCO 5.13, 5.18

History: Named after the polar captain A.I. Dubinin, Russian Antarctic expeditions (1956-1963).

Name: Ermak Feature: Plateau

Position: 81°15'N - 5°00'E

Proposer: V.D. Dibner NIIGA, Russia Date: 1957

Discoverer: not known

Accredited: SCUFN (May 1993) Referenced: GEBCO 5.17

History: Named from the first Russian ice-breaker "Ermak", that explored Arctic region (1899-1963).

Name: Evlanov Feature: Seamount

Position: 48°22.8' N - 35°11.6' W

Proposer: GUNIO MO, Russia. Date: 5 / 1993 Discoverer: R/V "Nikolay Zubov" Date: 1972

Accredited: SCUFN (May 1995)

Referenced: GEBCO 5.04

Remark: Least depth: 1230 m.

History: Named after Admiral A.G. Evlanov (1923-1992), Russian Hydrographer. In 1959-1973, he led

oceanographic and hydrographic surveys in the Atlantic Ocean.

Name:FaleevFeature:SeamountPosition:8°26'S - 1°33'EProposer:GUNIO MO, Russia.

Discoverer: R.H.V. "Leonid Demin" Date: 1 / 1979

Accredited: SCUFN (Apr. 1987)
Referenced: GEBCO 5.12
Remark: Least depth: 1222 m.

History: Named after the Russian Hydrographer, Captain V.I. Faleev (1928-1983), Head of the cartography

division at the Russian HO, editor of Atlases of oceans and IBCM.

Name: Fedorov Feature: Guvot

Position: 14°07.3'N - 156°11.0'E

Proposer: Dr. N.A. Marova, Dr. O.A. Sorokhtin, IO RAS, Date: 1991 Discoverer: R/V "Akademik Mstislav Keldys" Date: 1984

Accredited: SCUFN (Jun. 1991)

Referenced: GEBCO 5.06

History: Named after the Russian academician K. N. Fedorov (1927-1988), physical and cosmic oceanographer.

He was the Secretary of IOC (1963-1966) and later the President of SCOR.

Name: Fedynsky
Feature: Seamount

Position: 21°44′ N - 118°46′W

Proposer: YUZHMORGEO, MINGEO, Russia Date: 1999 Discoverer: R/V "Professor Fedynsky" Date: 1984

Accredited: SCUFN (Jun. 1999)
Referenced: GEBCO 5.06
Remark: Min. depth: 901 m.

History: Named after Prof. V.V. Fedynsky (1908-1978), Russian geophysicist, specialist of the deep structure of

the Earth's crust under continents and oceans.

Name: Fersman Feature: Seamount

Position: 12°49.0'N - 44°43.3'W

Proposer: Dr. N.N. Turko, GIN RAS, Russia Date: 1991 Discoverer: R/V "Akademik N. Strakhov" Date: 1989

Accredited: SCUFN (Jun. 1991) Referenced: GEBCO 5.08

History: Named after the Russian mineralogist and geochemist, Academician A.E. Fersman (1883-1945).

Name: Gakkel Feature: Ridge

Position: 83°30'N - 6°00'W to 81°00'N - 123°00'E

Proposer: NIIGA, Russia Date: 1985 Discoverer: Soviet Arctic expeditions 1948-1953. Date: 1948

Accredited: SCUFN (Apr. 1987) Referenced: GEBCO 5.17

Remark: Formerly 'Nansen Cordillera' or 'Arctic Mid-Ocean Ridge'

History: Named after Ya.Ya. Gakkel (1901-1965), Russian Arctic explorer, who in 1948 predicted the existence of

a transarctic ridge, and contoured it on bathymetric maps, on the basis of bathymetric, hydrological and

benthic data. He mapped this ridge from data of the 1954 Soviet high-latitude expeditions.

Name: **Gusinaya** Feature: Bank

Position: 71°35'N - 46°15'E

Proposer: Dr. V.A. Vasnetsov, Plavmornin, Russia. Date: 1930 Discoverer: R/V "Persey" Date: 1930

Referenced: GEBCO 5.01, 5.17

Remark: Least depth: 46 m. Formerly "Geese Bank".

History: Named from the nearby Gusinaya peninsula of Novaja Zemlya Islands. This peninsula was itself named

from the great number of geese ("Gusinaya" in Russian) settling in this area on summer seasons.

Note: To cross-reference "Goose Bank" and "Gusinaya Bank" by including "See Gusinaya Bank" in the

remarks column of the Gazetteer for the former name.

Name: Gerasimov Feature: Seamount

Position: 36°59.7'S - 112°59.0'W

Proposer: Dr. B.N. Kotenev, VNIRO, Russia Date: 1987 Discoverer: F.R.V. "Darvin" Date: 1987

Accredited: SCUFN (May 1993)
Referenced: GEBCO 5.11
Remark: Min depth: 520 m.

History: Named after the Russian geomorphologist, Academician I.P. Gerasimov (1905-1985), one of the

authors of the generic classification of the Earth's relief.

Name: Geroevka

Annex 6/Page 8

Feature: Bank

Position: 35°53.2'S - 53°13.0'E

Proposer: VNIRO, Russia Date: 1987 Discoverer: Russian Fishery R/V "Geroevka" Date: 1982

Accredited: SCUFN (Apr. 1987)
Referenced: GEBCO 5.09
Remark: Min depth: 130 m.

History: Named from the Russian Fishery R/V "Geroevka", which discovered and mapped this feature.

Name: Godaigo Feature: Guyot

Position: 41°45'N - 170°30'E

Proposer: Dr N. Christian Smoot, USNOO. Date: 1984

Discoverer: not known

Accredited: SCUFN (Apr. 1985), ACUF/208

Referenced: GEBCO 5.06

Remark: Shown as "Seamount" in ACUF Gazetteer.

History: Named after a Japanese emperor.

Name: Institut Okeanologii

Feature: Rise

Position: 52°10'N - 148°15'E to 52°15'N - 150°30' E

Proposer: Dr. G.B. Udintsev, IOAN, Russia. Date: 1951 Discoverer: R/V "Vityaz" Date: 1951

Referenced: GEBCO 5.02, INT 512

Remark: Shown as IO Rise in the ACUF Gazetteer. Min. Depth: 890 m.

History: Named for the Institute of Oceanology of the Russian Academy of Science which operated in

the northwest Pacific Ocean from 1949.

Name: Isakov Feature: Seamount

Position: 31°40'N - 151°05'E

Proposer: Dr. G.B. Udintsev, IOAN, Russia. Date: 1957 Discoverer: Russian R/V "Vityaz" Date: 1957

Referenced: GEBCO 5.06

History: Named after the Russian admiral I.S. Isakov (1894-1967), Hydrographer, Chief Editor of the Atlas of

the Oceans (1950) and USSR Naval historian.

Name: Izhevsky
Feature: Seamount
Position: 35°11'S - 54°19'E

Proposer: VNIRO, Russia Date: 4 / 1993 Discoverer: Russian Fishery R/V "Geroevka" Date: 8 / 1980

Accredited: SCUFN (May 1993)
Referenced GEBCO 5.09
Remark: Least depth: 375 m

History: Named after the Russian ichthyologist G.K. Izevskiy (1906-1965), explorer of the Indian and Pacific

Oceans.

Name: Kanaev
Feature: Seamount
Position: 33°07'S - 84°50'E

Proposer: Dr. G.V. Agapova, GIN AN, Russia Date: 3 / 1985 Discoverer: Russian R/V "Vityaz" Date: 1964

Accredited: SCUFN (Apr. 1987) Referenced: GEBCO 5.09

History: Named after the Russian marine geomorphologist and cartographer V.F. Kanaev (1923-1974), explorer

of the Indian and Pacific oceans.

Name: Karasev

Feature: Bank

Position: 46°07'S - 83°55'W

Proposer: VNIRO, Russia Date: 1987 Discoverer: Russian Fishery R/V "Atlant" Date: 1979

Accredited: SCUFN (Apr. 1987), SCUFN (Jun. 1997)

Referenced: GEBCO 5.11 Remark: Least depth: 101m.

History: Named after the Russian biologist B. E. Karasev (1932-1978), explorer of the Pacific Ocean.

Name: Kashevarov

Feature: Bank

Position: 55°40'N - 145°30'E

Proposer: Dr. G.B. Udintsev, IOAN, Russia. Date: 1950 Discoverer: Russian R/V "Vityaz" Date: 1949, 1952

Referenced: INT 512

Remark: Min depth: 74 m

History: Named after the Russian hydrographer A.F. Kashevarov (1809-1866), participant in two round-the-

world expeditions: "Elena" (1829-1830) and "Amerika" (1831-1833), and explorer of the N-W Pacific

Ocean.

Name: Khachaturian

Feature: Seamount

Position: 28°09'N - 162°00'W

Proposer: Dr. H. Menard, SIO USA. Date: 1964

Discoverer: not known Referenced: INT 50, 51

Remark: Formerly "Hachaturian Seamount".

History: Named after the Armenian composer A.I. Khachaturian (1903-1978), author of several symphonies,

music for ballets and operas.

Note: To cross-reference "Hachaturian Seamount" and "Khachaturian Seamount" by including "See

Khachaturian Seamount" in the remarks column of the Gazetteer for the former name. To also note the

spelling of the name: "Khachaturian", not "Khachatuyian".

Name: Klenova Feature: Seamount

Position: 13°01.5'S - 34°15.0'W

Proposer: VNIRO, Russia Date: 5 /1993 Discoverer: Russian R/V "Akademik Knipovich" Date: 7 /1971

Accredited: SCUFN (May 1993) Referenced: GEBCO 5.12

History: Named after the Russian marine geologist and explorer, Professor M.V. Klenova (1898-1976), author of

"Marine Geology" (1948) and "Geology of the Atlantic Ocean" (1975). She worked in the Atlantic Ocean, in

Antarctic waters, in Caspian, Barents, and White seas.

Name: Knipovich Feature: Ridge

Position: 74° 20' N - 8° 00'E to 79° 00' N - 0° 00'E

Proposer: Drs. V.D.Dibner NIIGA & V.M. Litvin PINRO, Russia Date: 1975 Discoverer: Russian R/V "Akademik Knipovich" Date: 1970

Accredited: SCUFN (Apr. 1987) Referenced: GEBCO 5.17

History: Named after the Russian academician N. M. Knipovich (1862-1939), ichthyologist and hydro-biologist.

Annex 6/Page 10

Name: Komandor Feature: Basin

Position: 57° 00'N - 168° 00'E

Proposer: S. Dezhnev, Russia Date: 1760 Discoverer: V. Bering Date: 1741

Accredited: SCGN (1993), ACUF/209
Referenced: GEBCO 5.02, INT 512, 813
Remark: Formerly "Kamchatka Basin".

History: Named after Commander ("Komandor" in Russian) I.I. Bering (1681-1741), leader of the two Kamchatsk

expeditions, that discovered Bering Strait (1725) and the Komandor Islands (1745).

Note: To cross-reference "Kamchatka Basin" and "Komandor Basin" by including "See Komandor Basin" in the

remarks column of the Gazetteer for the former name.

Name: Komarov Feature: Seamount

Position: 36° 48.2'S - 113°18.2'W

Proposer: VNIRO, Russia Date: 1993 Discoverer: Russian Fishery R/V "Darvin" Date: 1987

Accredited: SCUFN (1993)
Referenced: GEBCO 5.11
Remark: Min. depth: 302 m.

History: Named after the Russian academician V.L. Komarov (1869-1945), President of the Siberian Branch of

the Russian Academy of Sciences.

Name: Konstantinov

Feature: Ridge

Position: 33°30'S - 31°18'W to 38°44'S - 30°38'W

Proposer: VNIRO, Russia Date: 1984 Discoverer: Russian Fishery R/V "Pavel Kajkov" Date: 2 / 1982

Accredited: SCUFN (Jun. 1997)
Referenced: GEBCO 5.12
Remark: Min. depth: 470 m.

History: Named after the Russian marine biologist, Dr. K.G. Konstantinov (1918-1983), who worked in the

Atlantic and Pacific Oceans.

Name: Kosminskaya Feature: Fracture Zone

Position: 61°27'S - 30°45'W to 61°38'S - 29°35'W

Proposer: Dr. G.B. Udintsev, GEOKHI RAN, Russia Date: 1997 Discoverer: Russian R/V "Akademik B.Petrov" Date: 1995

Accredited: SCUFN (Jun. 1997) Referenced: GEBCO 5.16

History: Named after the Russian professor I.P. Kosminskaya (1916-1996), pioneering marine geophysicist,

specialist in deep structure of the lithosphere of oceans and continents.

Name: Kreps Feature: Seamount

Position: 17°29'S - 13°30'W

Proposer: Dr. G.B. Udintsev, GEOHI AN, Russia Date: 1987 Discoverer: Russian R/V "Akademik B.Petrov" Date: 1987

Accredited: SCGN (May 1989)
Referenced GEBCO 5.12
Remark: Min. depth 1295 m.

History: Named after the Russian microbiologist, Academician E.M. Kreps (1899-1985).

Name: Kruzenshtern

Feature: Trough

Position: 50°00'N - 165°30'E

Proposer: Dr. Jacqueline Mammerickx, SIO, USA Date: 1985

Discoverer: not known Date:

Accredited: SCGN (Apr.1985) Referenced: GEBCO 5.02

History: Named after Admiral I.F. Kruzenshtern (1770-1846), leader of the first Russian around-the-world

expedition (1803-1805).

Name: Krylov
Feature: Seamount

Proposer: VNIRO Russia

Proposer: VNIRO, Russia Date: 1982 Discoverer: Russian Fishery R/V "Atlant" Date: 1981

Referenced: GEBCO 5.08, INT 14 Remark: Min depth: 1270 m.

History: Named after the Russian academician A.N. Krylov (1883-1945), expert in ship-building and technology.

Name: Kucherov Feature: Seamount

Position: 2°17.5'N - 28°42.0'W

Proposer: Dr. G.B. Udintsev, GEOKHI, Russia, Date: 1997 Discoverer: Russian R/V "Akademik N. Strakhov" Date: 1987

Accredited: SCUFN (June 1997)
Referenced: GEBCO 5.08
Remark: Least depth: 972 m

History: Named after the Russian hydrographer I.P. Kucherov (1912-1993), head of the Russian HO's Charts

Division (1954-1971) and explorer of the Arctic and Antarctic seas.

Name: Kurchatov Feature: Fracture Zone

Position: 40°50'N - 31°30'W to 40°25'N - 27°30'W

Proposer: Dr. G.B. Udintsev, IOAN, Russia. Date: 1970 Discoverer: Russian R/V "Akademik Kurchatov" Date: 1969

Referenced: GEBCO 5.08

History: Named after the Russian physicist, Academician I.V. Kurchatov (1902-1960).

Name: Kurchatov Feature: Trough

Position: 37°00'S - 130°30'W

Proposer: Dr. A.V. Zhivago, IO RAS, Russia. Date: 1999 Discoverer: R/V "Akademik Kurchatov" Date: 1977

Accredited: SCUFN (Jun. 1999) Referenced: GEBCO 5.11

History: Named after the Russian R/V "Akademik Kurchatov", which investigated this feature closely.

Name: Kurchatov Feature: Seamount

Position: 5°24.7'S - 68°32.0'E

Proposer: Dr. V.F. Kanaev, IOAN, Russia. Date: 1970 Discoverer: Russian R/V "Akademik Kurchatov" Date: 1967

Referenced: INT 70, 702, 703, 71, 72, 73

History: Named after the Russian physicist, Academician I.V. Kurchatov (1902-1960).

Name: Kurentsov Feature: Ridge

Position: 52°15'S - 143°00'E to 54°20'S - 139°30'E

Proposer: VNIRO, Russia Date: 1977 Discoverer: Russian Fishery R/V "Geracl" Date: 1972

Accredited: SCUFN (Jun. 1999)
Referenced: GEBCO 5.15
Remark: Least depth: 170 m

History: Named after the Russian entomologist, A.I. Kurentsov (1896-1975), who studied the Pacific region.

Annex 6/Page 12

Name: Kuril Feature: Basin

Position: 46°40'N - 147°00'E

Proposer: Dr. G.B. Udintsev, IOAN, Russia. Date: 1950 Discoverer: Prof. Shokalskiy Date: 1914

Referenced: GEBC0 5.02, 5.06, INT 511

History: Named from the nearby Kuril islands.

Name: Kuril-Kamchatka

Feature: Trench

Position: 41°00'N - 145°00'E to 54°00'N - 163°10'E

Proposer: Dr. G.B. Udintsev, IOAN, Russia. Date: 1950 Discoverer: "Tuscarora" Date: 1874

Referenced: GEBCO 5.02,

Remark: Shown as "Kuril Trench" in the ACUF Gazetteer

History: Named after its geographic location: this feature represents a single structure between the Kuril islands

and the Kamchatka peninsula.

Name: Lazarev Feature: Trough

Position: 65°39'S - 129°15'E to 65°22'S - 134°00'E

Proposer: Dr. V.G. Kort, IOAN, Russia. Date: 3 / 1985 Discoverer: Russian R/V "Ob"" Date: 1956

Accredited: SCUFN (Apr. 1987) Referenced: GEBCO 5.14, 5.18

History: Named after the Russian explorer, Admiral M.P. Lazarev (1788-1851), participant in the first Russian

Antarctic expedition (1819-1821) as commander of the ship "Mirny". The expedition discovered Antarctic continent and several islands in the near-Antarctic Atlantic and South Pacific Oceans in 1820.

Name: Lena Feature: Trough

Position: 79°45'N - 2°00'W to 81°00'N to 5°00'W

Proposer: Dr. O.A. Borschevskiy, NIIGA, Russia. Date: 1957 Discoverer: Russian R/V "Lena" Date: 1956

Referenced: GEBCO 5.17

History: Named after the Russian ice-breaker R/V "Lena", that discovered this feature when participating in the

First Soviet Antarctic IGY Expedition.

Name: Lena Feature: Seamount Position: 53°00'S - 44°15'E

Proposer: A.P. Lizitsyn, IOAN, Russia. Date: 1956 Discoverer: Russian R/V "Lena" Date: 1956

Referenced: GEBCO 5.13

Remark: Shown as "Tablemount" in the ACUF Gazetteer. Min. depth: 254 m.

History: Named after the Russian ice-breaker R/V "Lena", that discovered this feature when participating in the

First Soviet Antarctic IGY Expedition.

Name: Lena Feature: Canyon

Position: 66°45'S - 92°30'E to 61°30'S - 90°00'E

Proposer: O.A. Borschevskiy, NIIGA, Russia Date: 1958 Discoverer: Russian R/V "Lena" Date: 1957

Referenced: GEBCO 5.18

History: Named after the Russian ice-breaker R/V "Lena", that discovered this feature when participating in the

First Soviet Antarctic IGY Expedition.

Name: Leont'ev Feature: Seamount

Position: 23°26.4'S - 83°19.3'W

IOC-IHO/GEBCO SCUFN-XV/3 Annex 6/Page 13

Proposer: B.N. Kotenev, VNIRO, Russia Date: -1993 Discoverer: Russian Fishery R/V "Zvezda" Date: -1979

Accredited: SCUFN (May 1993) Referenced: GEBCO 5.11

History: Named after the Russian marine geomorphologist O.K. Leont'ev (1920-1988).

Name: Lev Tolstoy
Feature: Seamount
Position: 15°10'S - 8°19'W

Proposer: Dr. G.B. Udintsev, GEOHI RAS, Russia Date: 1999 Discoverer: R/V "Akademik Kurchatov" Date: 1975

Accredited: SCUFN (Jun. 1999)
Referenced: GEBCO 5.12. INT 203
Remark: Least depth: 401 m.

History: Named after the Russian novelist and philosopher Lev N. Tolstoy (1829-1910).

Name: Litke Feature: Trough

Position: 80°30'N - 9°00'E to 82°30'N - 22°00'E

Proposer: NIIGA, Russia Date: 1985 Discoverer: Russian ice breaker "F. Litke" Date: 1955

Accredited: SCUFN (Apr. 1987) Referenced: GEBCO 5.17

History: Named after the Russian explorer of the Arctic seas, Academician-Admiral F.P. Litke (1797-1882), the

founder of the Russian Geographical Society and participant in the round-the-world expedition led by

V.M. Golovnin (1817-1819).

Name: Lobachevskiy
Feature: Seamount

Position: 16°29'N - 109°04'W

Proposer: Dr. H. W. Menard, SIO USA. Date: 1964

Discoverer: SIO, 1954 Referenced INT 51, 802, 811

Remark: Placed in Mathematicians Seamounts.

History: Named after the Russian mathematician N.I. Lobachevskiy (1792-1856), founder of the non-Euclidian

geometry.

Name: Lomonosov Feature: Ridge

Position: 80°30'N - 143°00'E to 85°00'N - 64°00'W

Proposer: M.M. Somov, AANII, Russia. Date: 1950

Discoverer: Soviet Arctic polar expeditions Date: 1948, 1949, 1954-1958

Referenced: GEBCO 5.17

History: Named after the Russian academician M.V. Lomonosov (1711-1765), founder of Moscow University.

He predicted the existence of a rise in the central Arctic Basin.

Name: Makarov Feature: Seamount

Position: 29°30.3'N - 153°28.7'E

Proposer: P.L. Bezrukov, OI RAN, Russia Date: 1957 Discoverer: Russian R/V "Vityaz" Date: 1957

Referenced: GEBCO 5.06 Remark: Min depth: 1,346 m.

History: Named after the Russian Vice-Admiral S.O. Makarov (1848-1904), leader of two round-the-world

expeditions (1886-1889 and 1894-1896). He also explored the Arctic region on the ice-breaker "Ermak" in

1899-1901. Member of the GEBCO Committee (1899-1904).

Name: Makarov Feature: Basin

Position: 83°00'N - 173°00'E to 87°30'N - 105°00'E

Annex 6/Page 14

Proposer: Dr. Ya.Ya. Gakkel, NIIGA, Russia. Date: 1951 Discoverer: Soviet high latitude expeditions Date: 1948-1950

Referenced: GEBCO 5.17

History: Named after the Russian Vice-Admiral S.O. Makarov (1848-1904), leader of two round-the-world

expeditions (1886-1889 and 1894-1896). He also explored the Arctic region on the ice-breaker "Ermak" in

1899-1901. Member of the GEBCO Committee (1899-1904).

Name: Malakhit Feature: Guyot

Position: 12°52.0'S - 2°36.7'W

Proposer: VNIRO, Russia Date: 1997 Discoverer: Russian Fishery R/V "Malakhit" Date: 1978

Accredited: SCUFN (Jun. 1997)
Referenced: GEBCO 5.12
Remark: Least depth: 384 m.

History: Named after the Russian Fishery R/V "Malakhit" which discovered this feature.

Name: **Markov** Feature: Guyot

Position: 41°54'S - 102°50'W

Proposer: VNIRO, Russia Date: 1993 Discoverer: Russian Fishery R/V "Novocheboksarsk" Date: 1985

Accredited: SCUFN (Jun. 1997)
Referenced: GEBCO 5.11
Remark: Least depth: 424 m.

History: Named after the Russian geomorphologist, Academician K. K. Markov (1905-1984).

Name: Marti Feature: Seamount

Position: 20°46'S - 80°53'W

Proposer: VNIRO, Russia Date: 1993 Discoverer: Russian Fishery R/V "Zvezda" Date: 1978

Accredited: SCUFN (Jun. 1997)
Referenced GEBCO 5.11
Remark: Least depth: 317 m.

History: Named after Yu. Yu. Marti (1906-1980), former Director of the Russian Fisheries Research Institute

(VNIRO).

Name: **Mendeleev** Feature: Abyssal Plain

Position: 79°40'N - 169°00'W to 81°30'N - 166°00'W

Proposer: Yu.G. Kiselev, NIIGA Russia Date: 1960

Discoverer: Soviet Arctic polar expeditions Date: 1948, 1949, 1954-1958

Referenced GEBCO 5.17

Remark: Shown as 'Plain' in the ACUF Gazetteer.

History: Named after the pioneer Russian chemist D.I.Mendeleev (1834-1907), author of the periodical system of

chemical elements (1869).

Name: Mendeleev

Feature: Rise

Position: 84°00'N - 176°00'W to 76°30'N - 178°30'W

Proposer: Dr. Ya.Ya. Gakkel, NIIGA, Russia. Date: 1950

Discoverer: Soviet high latitude expeditions Date: 1948 1949 - 1955

Accredited: SCUFN (Apr. 1987)
Referenced: GEBCO 5.17

Remark: Shown as Ridge in ACUF Gazetteer.

History: Named after the pioneer Russian chemist D.I.Mendeleev (1834-1907), author of the periodical system of

chemical elements (1869).

Name: Menner

IOC-IHO/GEBCO SCUFN-XV/3 Annex 6/Page 15

Feature: Seamount

13°52.1'N - 44°36.3'W Position:

1991 Proposer: Dr.N. Turko, GIN RAS, Russia Date: Discoverer: Russian R/V "Akademik N. Strakhov" Date: 1989

Accredited: SCUFN (Jun. 1991) Referenced: **GEBCO 5.08** Remark: Min depth: 1815 m.

History: Named after the Russian Academician V.V. Menner (1905-1990), one of the authors of the global

stratigraphy scale.

Name: Mikhailov Feature: Canvon

65°30'S - 85°30'E to 64°15'S - 86°50'E Position:

Proposer: Dr. V.G. Kort, IOAN, Russia. Date: 1958 Russian R/V "Ob" 1958 Discoverer: Date:

Referenced **GEBCO 5.18**

Named after the Russian painter, Academician P.N. Mikhailov (1786-1840), participant in the first History:

Russian Antarctic expedition (1820) on ship "Vostok". He prepared excellent detailed illustrations of the

Antarctic coasts, which were used in Russian Sailing Directions up until 1930.

Name: Muratov Feature: Seamount

Position: 4°01'N - 32°22'W

1997 Dr. G.B. Udintsev, GEOKHI RAS, Russia Proposer: Date: Russian R/V "Akademik N. Strakhov" Discoverer: Date: 1988

SCUFN (Jun. 1997) Accredited: Referenced **GEBCO 5.08** Remark: Least depth: 1,750 m.

History: Named after the Russian professor M.V. Muratov (1908-1982), author of monographs on the tectonics

of the oceans.

Name: Murman Feature: Rise

Position: 70°30'N - 36°30'E

Proposer: Appeared on Russian maps (from 16th century)

Discoverer: Pomory: Russian ethnic group, living near the Barents Sea

Referenced: GEBCO 5.01, INT 10

Min depth: 87 m. Shown as Skolpen Bank on the INT Charts. Remarks:

History: Named from the nearby port of Murmansk.

Name: Muromtsev Feature: Seamount

37°57.8'S - 122°58.3'E Position:

Date: 1993 Proposer: VNIRO, Russia Russian Fishery R/V "Kulikovo Pole" Date: 1987 Discoverer:

SCUFN (May 1993) Accredited: Referenced: **GEBCO 5.11** Remark: Least depth: 328 m.

History: Named after the Russian oceanographer A.M. Muromtsev (1921-1987).

Name: Musorgsky Feature: Seamount

30°22'N - 163°50'W Position:

Dr. H. W. Menard, SIO, USA. 1961 Proposer: Date:

Discoverer: not known Referenced INT 50, 51

History: Named after the Russian composer M.P. Musorgskiy (1839-1881).

Annex 6/Page 16

Name: Nadezhda Feature: Basin

Position: 30°00'N - 148°00'E

Proposer: Dr. Jacqueline Mammerickx Date: 1985
Discoverer: not known Date:

Accredited: SCGN (April 1985) Referenced GEBCO 5.06

Remark: Shown as NADEZHDA in ACUF Gazetteer

History: Named from the Russian vessel "Nadezhda". She was part of the 1st Russian round-the-world expedition, led

by Adm. Krusenstern (1803-1809).

Name: Nadezhda Feature: Seamount

Position: 4°09.5'N - 32°45.6'W

Proposer: Dr. G.V. Agapova, GIN AN, Russia Date: 1988 Discoverer: Russian R/V "Akademik N. Strakhov" Date: 1988

Accredited: SCGN (8 May 1989)

Referenced: GEBCO 5.08 Remark: Least depth: 852 m.

History: Named from the Russian vessel "Nadezhda". She was part of the 1st Russian round-the-world

expedition, led by Adm. Krusenstern (1803-1809).

Name: Nansen Feature: Basin

Position: 84°00'N - 20°00'E to 84°00'N - 90°00'E

Proposer: Dr. Ya. Ya. Gakkel, Russia Date: 1950

Discoverer: not known Referenced GEBCO 5.17

History: Named after Fridtjov Nansen (1861-1930), Norwegian explorer of the Arctic. He was the first to cross

Greenland by ski (1888), leader of the polar expedition on "Fram" (1893-1896), laureate of Nobel Prize

(1922), and member of the GEBCO Committee (1903-1904).

Name: **Navarin** Feature: Canyon

Position: 60°45'N - 179°15'E

Proposer: Dr. D.E. Gershanovich, Russia Date: 1956 Discoverer: Russian Fishery R/V "Zhemchug" Date: 1955

Accredited: ACUF/214, SCGN (6 April 1985)

Referenced GEBCO 5.02

History: Named from the nearby Cape Navarin.

Name: Neva Feature: Shoal

Position: 26°00'N - 173°55'W

Proposer: F.F. Kruzenshtern, Russia Date: 1805 Discoverer: Russian R/V "Neva" Date: (1803-1806)

Referenced: INT 809

History: Named after the Russian ship "Neva", under Yu. F. Lisiyansky (1773-1837), which, with the

"Nadezhda", took part in the 1st Russian round-the-world expedition, led by Adm. Krusenstern (1803-

1809).

Name: New Guinea Feature: Trench

Position: 0°30'N - 134°00'E - 1°15'.5 N - 139°30' E

Proposer: Dr. V.F. Kanaev, IOAN, Russia. Date: 1957 Discoverer: Russian R/V "Vityaz" Date: 1957, 1958.

Referenced GEBCO 5.10, INT 507

History: Named from its geographic position to the north of New Guinea.

Name: Nikolay Vavilov

IOC-IHO/GEBCO SCUFN-XV/3 Annex 6/Page 17

Feature: Seamount

Position: 46°55'N - 150°30'E

Proposer: Dr. G.B. Udintsev, IOAN, Russia. Date: 1950 Discoverer: Russian R/V "Vityaz" Date: 1950

Accredited: SCGN(Jun 1991)
Referenced GEBCO 5.02, INT 511

History: Named after the Russian academician Nikolay I. Vavilov (1887-1943), geneticist and biologist. He was

President of the Russian Geographical Society (1931-1940).

Name: Ninetyeast Feature: Ridge

Position: 7°00'N - 90°00'E to 34°00'S - 87°00'E

Proposer: Dr. Marie Tharp & Prof. Bruce Heezen, USA Date: 1965 Discoverer: RIMS "Investigator" (1888-1890) Date: 1950

Referenced: GEBCO 5.05, 5.06, 5.09 INT 70, INT 71, INT 73

Remark: North portion was formerly called "Carpenter Ridge". Correct spelling is one word: "Ninetyeast". History: Name coined by Tharp-Heezen when compiling a physiographic diagram of Indian Ocean (early 1960s). Early indications from RIMS Fisheries Cruises and HMS "Challenger" (1951-1952).

Name: Nordcapp Feature: Bank

Position: 72°00'N - 26°15'E

Proposer: Dr. V.A. Vasnetsov, Plavmornin, Russia Date: 1929 Discoverer: Russian R/V "Persey" Date: 1929

Referenced: INT 10

History: Named from the nearby Cape North.

Name: **North Kanin**

Feature: Bank

Position: 70°30'N - 42°50'E

Proposer: Traditional name, dating back to the XVI century.

Discoverer: Pomory: Russian ethnic group living near the Barents Sea.

Referenced: GEBCO 5.01, 5.17 Remark: Least depth: 53 m.

History: Named from the nearby Kanin Peninsula.

Name: Norwegian Feature: Through

Position: 61°20'N - 01°20'E to 59°00'N - 02°50'E to 59°20'N - 10°00'E

Proposer: Dr. V.A. Vasnetsov, Plavmornin, Russia Date: 1929 Discoverer: Russian R/V "Persey" Date: 1929

History: Named from the nearby country of Norway.

Name: Novaya Zemlya

Feature: Trough

Position: 71°00'N - 58°10'E to 76°10'N - 72°00'E

Proposer: Dr. I.I. Mesyatsev, Plavmornin, Murmansk, Russia Date: 1930 Discoverer: Russian Fishery R/V "Tajmyr" Date: 1927

Referenced: GEBCO 5.17

Remark: Least depth 438 m. Shown as "East Novaya Zemlya Trough" in the ACUF Gazetteer.

History: Named from the nearby island of Novaja Zemlya.

Name: Ob' Feature: Canyon

Position: 64°15'S - 94°45'E to 62°10'S - 92°50'E

Proposer: Dr. V.G. Kort, IOAN, Russia. Date: 1958 Discoverer: Russian R/V "Ob", 1st Soviet Antarctic IGY Expedition. Date: 1958

Referenced: GEBCO 5.18

History: Named after the Russian ship "Ob" that discovered this feature.

Annex 6/Page 18

Name: Ob'

Feature: Seamount

Position: 52°20'S - 41°15'E

Proposer: Dr. A.P. Lizitsyn, IOAN, Russia. Date: 1956 Discoverer: Russian R/V "Ob", 1st Soviet Antarctic IGY Expedition Date: 1956

Referenced: GEBCO 5.13

Remark: Shown as Tablemount in ACUF Gazetteer.

History: Named after the Russian ship "Ob" that discovered this feature.

Name: Ob' Feature: Hole

Position: 32°30'S - 95°45'E to 32°47'S - 102°15'E

Proposer: Drs. P.L. Bezrukov & V.F. Kanaev, IOAN, Russia. Date: 1963 Discoverer: Russian R/V "Ob" Date: 1957

Referenced: GEBCO 5.09 Remark: Max depth: 5,880 m.

History: Named after the Russian ship "Ob" that discovered this feature while en route to Antarctica.

Name: Obruchev

Feature: Rise

Position: 50°30'N - 168°00'E to 54°00'N - 164°00'E

Proposer: Dr. G.B. Udintsev, IOAN, Russia. Date: 1955 Discoverer: Russian R/V "Vityaz" (19th and 20th cruises) Date: 1954

Accredited: SCUFN (Apr. 1987) Referenced: GEBCO 5.02, INT 813

History: Named after the Russian geologist, Academician V.A. Obruchev (1863-1956).

Name: Panov Feature: Bank

Position: 41°32'S - 104°38'W

Proposer: VNIRO, Russia Date: 1993 Discoverer: Russian Fishery R/V "Novocheboksarsk" Date: 1985

Accredited: SCUFN (June 1997)
Referenced: GEBCO 5.11
Remark: Least depth: 164 m.

History: Named after the Russian marine geomorphologist D.G. Panov (1909-1965). He studied bottom

topography and classification of sea floor features.

Name: Peyve Feature: Seamount

Position: 7°49.1'N - 37°45.9'W

Proposer: Dr. A.O. Mazarovich, GIN RAN, Russia Date: 1989 Discoverer: Russian R/V "Akademik N. Strakhov" Date: 1987

Accredited: SCGN (May 1989)
Referenced: GEBCO 5.08
Remark: Min depth: 1016 m.

History: Named after the Russian academician A.V. Peyve (1909-1985). He was Director of the Geological

Institute of the Russian Academy of Sciences and led two expeditions in the Pacific Ocean.

Name: Persey Feature: Bank

Position 1: 76°40'N 35°00'E Position 2: 79°15'N 40°00'E

Proposer: Dr. I.I. Mesyatsev, Plavmornin, Murmansk, Russia. Date: 1936 Discoverer: Russian R/V "Persey" Date: 1935

Accredited: SCUFN (Apr. 1987) Referenced: GEBCO 5.17, INT 10

Remark: Wrongly shown as "Perseus Bank" on INT 10.

Remark: Least depth: 51 m.

History: Named from the first Russian research vessel "Persey" (1922-1941). She carried out 84 scientific

cruises in the northern seas and sank after being bombed in the Kara Sea.

Name: Pervenets
Feature: Canyon

Position: 59°45'N - 177°00'W to 59°15'N - 179°30'W

Proposer: Dr. B.N. Kotenev, VNIRO, Russia Date: 1985 Discoverer: Russian Fishery R/V "Pervenets" and "Zhemchug" (1958-1959) Date: 1958

Accredited: SCUFN (Apr. 1985), ACUF/214.

Referenced: GEBCO 5.03

History: Named after the Russian Fishery R/V "Pervenets" that discovered this feature.

Name: Petelin Feature: Seamount

Position: 22°49'S - 160°51'W

Proposer: Dr. L.K. Zatonskiy, IOAN, Russia. Date: 1985 Discoverer: Russian R/V "Vityaz", 48^{tth} cruise Date: 1970

Accredited: SCUFN (Apr. 1987)
Referenced: GEBCO 5.10
Remark: Least depth: 2,970 m.

History: Named after the Russian marine sedimentologist V.P.Petelin (1913-1970).

Name: **Petrov**Feature: Fracture Zone

Position: 41°00'N - 31°05'W to 41°40'N - 31°09'W

Proposer: Dr. G.B. Udintsev, GEOKHI RAN, Russia Date: 1989 Discoverer: Russian R/V "Akademik B.Petrov" Date: 1985

Accredited: SCGN (May 1989) Referenced: GEBCO 5.08

History: Named after the Russian academician Boris N. Petrov (1913-1980), specialist in aerospace engineering.

Name: **Pobeda** Feature: Canyon

Position: 62°30'S - 97°35'E to 64°30'S - 100°15'E

Proposer: Dr. A.P. Lizitsin, IOAN, Russia. Date: 1956 Discoverer: Russian R/V "Ob", 1st Soviet Antarctic IGY Expedition. Date: 1956

Referenced: GEBCO 5.13, 5.18

History: Named from the nearby island of Pobeda.

Name: Pole

Feature: Abyssal Plain

Position: 84°00'N - 130°00'E to 86°50'N - 125°00'E

Proposer: Prof. B. Heezen, USA Date: 1971
Discoverer: not known Date:

Referenced: GEBCO 5.17

Remark: Shown as 'Plain' in the ACUF Gazetteer History: Named from its proximity to the North Pole.

Name: **Pribylov** Feature: Canyon

Position: 56°15'N - 168°25'W to 55°30'N - 171°00'W

Proposer: Dr. B.N. Kotenev, VNIRO, Russia Date: 1958 Discoverer: Russian Fishery R/V "Zhemchug" Date: 1958

Accredited: SCUFN (Apr. 1987) Referenced: GEBCO 5.03, INT 813

History: Named after the Russian hydrographer G.L. Pribylov (?-1796), who discovered in 1778 islands that

were later named after him.

Name: **Prilyudko** Feature: Seamount

Annex 6/Page 20

Position: 57°01'N - 34°09'W

Proposer: VNIRO, Russia Date: 1977 Discoverer: Russian Fishery R/V "Atlant" Date: 1984

Accredited: SCUFN (Jun. 1984)
Referenced: GEBCO 5.12
Remark: Least depth: 607 m.

History: Named after Russian hydrographer V.P. Prilyudko (1928-1983), who worked for many years in the

northern seas.

Name: Prokof'yev Feature: Seamount

Position: 25°51'N - 157°53'W

Proposer: Dr. H. W. Menard, SIO, USA Date: 1964
Discoverer: not known Date:

Referenced: INT 50, 51

Remark: Wrongly shown as "Prokofiev" on INT charts.

History: Named after the Russian composer S.S. Prokofyev (1891-1953).

Name: Rakhmaninov Feature: Seamount

Position: 29°35'N - 163°24'W

Proposer: Dr. H. W. Menard, SIO, USA Date: 1964
Discoverer: not known Date:

Referenced INT 50, 51

Remark: Wrongly shown as "Rachmaninoff" on INT charts.

History: Named after the Russian composer and pianist S.V. Rakhmaninov (1873-1943).

Name: Ryurik
Feature: Seamount
Position: 9°15'N - 53°28'E

Proposer: Dr.R.L.Fisher, SIO, USA Date: 1989 Discoverer: H.M.S "Owen"1961, R/V "Chain" 1964, R/V "D. Mendeleev" 1973

Accredited: SCGN (May 1989) Referenced: GEBCO 5.05

History: Named after the Russian ship "Ryurik" that visited this area in 1815-1818 (expedition of O.E. Kotsebu).

Name: Rumyantsev Feature: Seamount

Position: 46°17'S - 155°45'W

Proposer: VNIRO, Russia Date: 1993 Discoverer: Russian Fishery R/V "Dal'ny" Date: 1978

Accredited: SCUFN (May 1993) Referenced: GEBCO 5.11 Remark: Least depth 580 m.

History: Named after the Russian ichthyologist A.I. Rumyantsev (1914-1978).

Name: Sadko
Feature: Seamount
Position: 12°22'N - 61°15'E

Proposer: Dr. V.F. Kanaev, G.V. Agapova, IOAN, Russia. Date: 1967 (MGU), 1989 (Sadko)

Discoverer: Russian R/V "Vityaz" Date: 1967

Accredited: SCGN (May 1989)
Referenced: GEBCO 5.05

Remark: Formerly called "MGU Seamount".

History: Named after the hero of Russian folklore, singer and traveller, who found himself on the bottom of the

Indian Ocean, in the Kingdom of Neptune.

Name: Samarin Feature: Seamount

Position: $34^{\circ}03.5^{\circ}S - 20^{\circ}07.0^{\circ}W$

IOC-IHO/GEBCO SCUFN-XV/3 Annex 6/Page 21

Proposer: VNIRO, Russia Date: 1997 Discoverer: Russian Fishery R/V "Pavel Kaikov" Date: 1982

Accredited: SCUFN (Jun. 1997)
Referenced: GEBCO 5.12
Remark: Least depth: 530 m.

History: Named after the Captain of the Russian Fishery R/V "Pavel Kaikov", P.A. Samarin (1912-1985).

Name: Sedlo Feature: Seamount

Position: 40°25.4'N - 26°55.4'W

Proposer: VNIRO, Russia Date: 1985 Discoverer: Russian Fishery R/V "Atlant" Date: 1973

Accredited: SCUFN (Apr. 1987)
Referenced: GEBCO 5.08
Remark: Min depth: 667 m.

History: Named from its shape which resembles a saddle ("sedlo" in Russian).

Name: Sergey Vavilov Feature: Seamount

Position: 39°51'N - 12°35'E

Proposer: O.M. Mikhailov, IOAN, Russia. Date: 1955 Discoverer: Russian R/V "Sergey Vavilov" Date: 1954

Accredited: SCUFN (Jun.1991) Referenced IBCM 3, INT 301, 302

Remark: Shown as "Vavilov" in the ACUF Gazetteer.

History: Named after the Russian R/V "Sergey Vavilov" that discovered this feature.

Name: Sever Feature: Spur

Position: 79°00'N - 125°00'W to 82°00'N - 128°00'W

Proposer: HIIGA, Russia Date: 1985 Discoverer: Drift ice expedition "Sever", Russia Date: 1966

Accredited: SCUFN (Apr. 1987) Referenced: GEBCO 5.17

History: Named after the high latitude Russian expedition "Sever" (1966).

Name: Shatskiy Feature: Rise

Position: 30°00'N - 157°15'E to 43°30'N - 168°30'E

Proposer: Dr. G.B. Udintsev, IOAN, Russia. Date: 1959 Discoverer: Russian R/V "Vityaz" Date: 1958 – 1959

Accredited: SCGN (April 1985) Referenced: GEBCO 5.06, INT 53, 511

History: Named after the Russian geologist and tectonicist, Academician N.S. Shatskiy (1895-1960).

Name: Shcherbakov Feature: Seamount

Position: 10°55'S - 104°40'E

Proposer: Dr. L.K. Zatonskiy, IOAN, Russia. Date: 1962 Discoverer: Russian R/V "Vityaz" Date: 1961

Referenced: GEBCO 5.09, INT 707, 708 Remark: Least depth: 1,438 m.

History: Named after the Russian hydrobiologist, Academician D.I. Shcherbakov (1893-1966).

Name: Shchukin Feature: Seamount

Position: 44°20'S - 105°10'W

Proposer: VNIRO, Russia Date: 1997 Discoverer: Russian Fishery R/V "Novocheboksarsk" Date: 1985

Accredited: SCUFN (Jun. 1997)

Annex 6/Page 22

Referenced: GEBCO 5.11

Remark: Formerly spelled "Sčukin". Estimated least depth: 589 m.

History: Named after the Russian geomorphologist I.S. Shchukin (1885-1985).

Name: Shirshov Feature: Ridge

Position: 59°30'N - 170°30'E to 57°10'N - 170°30'E

Proposer: Dr. G.B. Udintsev, IOAN, Russia. Date: 1951 Discoverer: Russian R/V "Vityaz" (8th and 16th cruises) Date: 1953

Referenced: GEBCO 5.02, INT 50, 813, 814

History: Named after the Russian hydrobiologist, Academician P.P. Shirshov (1905-1953).

Name: Shorygin

Feature: Guyot

Position: 22°05.1'S - 81°18.4'W

Proposer: VNIRO, Russia Date: 1993 Discoverer: Russian Fishery R/V "Zvezda" Date: 1978

Accredited: SCUFN (Jun. 1997)
Referenced: GEBCO 5.11
Remark: Least depth: 155 m.

History: Named after the Russian ichthyologist, A. A. Shorygin (1896-1948).

Name: Shostakovich Feature: Seamount

Position: 33°16'N - 164°53'W

Proposer: Dr. H. W. Menard, SIO, USA Date: 1964

Discoverer: not known Date:

Referenced: INT 50

History: Named after the Russian composer D.D. Shostakovich (1906-1975).

Name: Shuleykin Feature: Seamount

Position: 41°16′N - 163°08′E

Proposer: Ac. L.A. Zenkevich, IOAN Date: 1953 Discoverer: Russian R/V "Vityaz" Date: 1953

Accredited: SCUFN (Apr. 1987) Referenced: GEBCO 5.06

History: Named after the Russian academician V. Shuleykin (1895-1979). He was Director of the Russian

Marine Geophysical Institute in Crimea.

Name: Smetanin Feature: Seamount

Position: 40°40'N - 146°50'E

Proposer: Dr. G.V. Agapova, IOAN, Russia. Date: 1985 Discoverer: Russian R/V "Vityaz" Date: 1961

Accredited: SCUFN (Apr. 1987)
Referenced: GEBCO 5.06
Remark: Least depth: 1,345 m.

History: Named after the Russian oceanologist D.I. Smetanin (1927-1961).

Name: Soldatov
Feature: Seamount

Position: 21°43'S - 82°03'W

Proposer: VNIRO, Russia Date: 1993 Discoverer: Russian Fishery R/V "Foton" Date: 1979

Accredited: SCUFN (June 1997)
Referenced: GEBCO 5.11
Remark: Least depth: 850 m.

History: Named after the Russian ichthyologist V.K. Soldatov (1875-1941).

Name: South Orkney

Feature: Trough

Position: 61°00'S - 41°45'W to 60°30'S - 38°30'W

Proposer: Dr. A.F. Treshnikov, AANII Date: 1968
Discoverer: Russian R/V "Ob'" Date: 1968

Referenced: GEBCO 5.16, 5.18

Remark: Feature labeled incorrectly as "Orkney Deep" on GEBCO 5.16 and 5.18.

History: Named from the nearby South Orkney islands.

Name: St. Anna Feature: Trough

Position: 78°30'N - 70°00'E to 83°00'N - 69°00'E

Proposer: Dr. I.I. Mesyatsev, Plavmornin, Murmansk, Russia Date: 1935 Discoverer: Russian R/V "Sadko" Date: 1935

Accredited: SCUFN (April 1987)

History: Named after the Russian vessel "Svyataya Anna" that got stuck in the ice in the Kara Sea, during the

Russian expedition (1912-1914) under G.L. Brusilov.

Name: St. Peter Feature: Fracture Zone

Position: 2°40'N - 30°00'W to 2°40'N - 33°00'W

Proposer: Dr. G.V. Agapova, GIN AN, Russia Date: 1989 Discoverer: Russian R/V "Akademik N. Strakhov" Date: 1988

Accredited: SCGN (May 1989) Referenced: GEBCO 5.08

History: Named from the Spanish ship "St. Peter" that investigated the area near St. Paul islands, together with

ship "St. Paul", in the XVIth century.

Name: Strakhov
Feature: Fracture Zone

Position: 4°30'N - 39°20'W to 4°00'N - 23°00'W

Proposer: Dr. G.V. Agapova, GIN AN, Russia Date: 1988 Discoverer: Russian R/V "Akademik N. Strakhov" Date: 1988

Accredited: SCGN (May 1989) Referenced: GEBCO 5.08, 5.12

History: Named after the Russian academician Nikolai M. Strakhov (1907-1978), lithologist, founder of the Russian

school of marine sedimentology. Named also from R/V "Akademik N. Strakhov" that explored and mapped

this feature.

Name: Stravinskiy
Feature: Seamount

Position: 31°29'N - 164°36'W

Proposer: Dr. H. W. Menard, SIO, USA Date: 1964

Discoverer: not known Date:

Referenced: INT 50

History: Named after the Russian composer and conductor I.F. Stravinskiy (1882-1971).

Name: Strel'nya Feature: Guyot

Position: 6°30.8'S - 1°11.0'E

Proposer: VNIRO, Russia Date: 1993 Discoverer: Russian Fishery R/V "Strel'nja" Date: 9/1987

Accredited: SCUFN (May 1993) Referenced: GEBCO 5.12 Remark: Least depth 715 m.

History: Named after the Russian Fishery R/V "Strel'nya" that discovered this feature.

Name: Stvor Feature: Guyot

Position: 9°53'S - 5°25'W

Annex 6/Page 24

Proposer: VNIRO, Russia Date: 1982 Discoverer: Russian Fishery R/V "Stvor" Date: 1978

Accredited: SCUFN (April 1987)
Referenced GEBCO 5.12
Remark: Least depth 292 m.

History: Named after Russian Fishery R/V "Stvor" that found and mapped this feature.

Name: Sysoev Feature: Seamount

Position: 15°28'S - 6°27'W

Proposer: Dr. G.B. Udintsev, GEKHI RAS, Russia Date: 1999 Discoverer: Russian R/V "Akademik Kurchatov" Date: 1975

Accredited: SCUFN (June 1999)
Referenced: GEBCO 5.12
Remark: Least depth: 1,341 m.

History: Named after the Russian Nicolay N. Sysoev (1909-1964). He was Deputy Director of the Shirshov Institute

of Oceanology, Russia.

Name: Tetyaev Feature: Fracture Zone

Position: 16°00'S - 12°00'W to 17°10'S - 19°30'W

Proposer: VNIIOkeangeologija & NPO Severomorgeologija Date: 1991 Discoverer: Russian G/V "Bashmakov" & R/V "Nalivkin" Date: 12 / 1988

Accredited: SCUFN (June 1991) Referenced: GEBCO 5.12

History: Named after the Russian M.M. Tetyaev (1882-1956), one of the founders of the Russian tectonic school.

Name: Timkin Feature: Guyot

Position: 21°29'S - 81°37'W

Proposer: VNIRO, Russia Date: 1993 Discoverer: Russian Fishery R/V "Zvezda" Date: 1978

Accredited: SCUFN (June 1997)
Referenced: GEBCO 5.11
Remark: Least depth: 205 m.

History: Named after the Russian hydrographic surveyor V. E. Timkin (1955-1986).

Name: TINRO Feature: Basin

Position: 56°30'N - 153°20'E

Proposer: Dr. G.B. Udintsev, IOAN, Russia. Date: 1950 Discoverer: Russian R/V "Vityaz" Date: 1949

Referenced: GEBCO 5.02, INT 512

History: Named after the Russian Pacific Institute of Fisheries and Oceanography (TINRO), that carried out

systematic surveys in the Okhotsk Sea.

Name: Titov Feature: Seamount

Position: 0°30'S - 176°00'W

Proposer: Dr. G.V. Agapova, GIN AN, Russia Date: 1985 Discoverer: Russian R/V "Vityaz" Date: 1961

Accredited: SCUFN (April 1987) Referenced: GEBCO 5.10

History: Named after the pioneer Soviet cosmonaut G.S. Titov (1935-2000), who made a space flight on

"Vostok-2"

Name: Topaz
Feature: Seamount
Position: 8°12'S - 0°48'E

IOC-IHO/GEBCO SCUFN-XV/3 Annex 6/Page 25

Proposer: VNIRO, Russia Date: 1993 Discoverer: Russian R/V "Topaz" Date: 1978

Accredited: SCUFN (May 1993)
Referenced: GEBCO 5.12
Remark: Least depth: 957 m.

History: Named after the Fishery Research Vessel "Topaz" that first discovered and mapped this feature.

Name: Travin Feature: Bank

Position: 0°26'N - 56°00'E

Proposer: VNIRO, Russia Date: 1997 Discoverer: Russian Fishery R/V "Geroevka" Date: 3/1980

Accredited: SCUFN (June 1997)
Referenced: GEBCO 5.05
Remark: Least depth: 187 m.

History: Named after the Russian marine biologist V.I. Travin (1911-1974).

Name: Varyag Feature: Seamount

Position: 14°05'S - 106°08'E

Proposer: Dr. V.F. Kanaev, IOAN, Russia. Date: 1962 Discoverer: Russian R/V "Vityaz" Date: 1962

Accredited: SCGN (April 1987) Referenced: GEBCO 5.09

History: Named after the Russian hydrographic ship "Varyag" that explored this area in the XIXth Century.

Name: Vavilov Feature: Hole

Position: 36°32'N - 21°05'E

Proposer: O.M. Mikhailov, IOAN, Russia. Date:

Discoverer: Russian R/V "Sergey Vavilov" Date: 1954

Accredited: SCUFN (June 2001)

Referenced: IBCM 9

Remark: Wrongly shown on IBCM Sheet 9 as "Vavilov Deep".

History: Named after the Russian academician Sergei Vavilov and the Russian R/V "Sergei Vavilov" that

discovered this feature.

Name: Vernadsky
Feature: Fracture Zone

Position: 7°44'N - 37°22'W to 7°42'N - 39°08'W

Proposer: V.N. Syrskiy, MGI, Russia Date: 1968 Discoverer: Russian R/V "M. Lomonosov" Date: 1965

Accredited: SCUFN (Apr. 1987)

Referenced: GEBCO 5.08

History: Named after the Russian geochemist, Academician V.I. Vernadsky (1863-1945) and the Russian R/V

"Akademik Vernadsky" that explored this feature.

Name: Vernadsky Feature: Seamount

Position: 5°23.6'N - 62°10.6'E

Proposer: Dr. V.F. Kanaev, IOAN, Russia. Date: 1975 Discoverer: HMS "Owen" Date: 1962

Accredited: SCUFN (April 1987) Referenced: GEBCO 5.05

History: Named after the Russian geochemist, Academician V.I. Vernadsky (1863-1945).

Name: Vinogradov Feature: Fracture Zone

Position: 60°45.5'S - 29°33.2'W to 60°59.0'S - 28°57.0'W

Proposer: Dr. G.B. Udintsev, GEOKHI RAS, Russia Date: 1995

Annex 6/Page 26

Discoverer: Russian R/V "Akademik B.Petrov" Date: 2/1995

Accredited: SCUFN (June 1997) **GEBCO 5.16** Referenced

History: Named after the Russian geochemist, Academician A.P. Vinogradov. He was Director of the Vernadsky

Institute of Geochemistry of the Academy of Sciences of the USSR.

Name: Vitvaz Fracture Zone Feature:

Position: 8°00'S - 64°30'E to 2°00'S - 72°15'E

Dr. V.F. Kanaev, IOAN, Russia. 1959 Proposer: Date: Russian R/V "Vityaz" Discoverer: Date: 1959

SCUFN (Jun. 1999) Accredited: Referenced: **GEBCO 5.09**

Named after the Russian R/V "Vityaz" that explored this feature. History:

Name: Vitvaz Feature: Seamount

Position: 13°30'N - 173°30'W

Dr. G.B. Udintsev, IOAN, Russia. 1958 Proposer: Date: Russian R/V "Vityaz" Discoverer: 1958 Date:

Referenced: **GEBCO 5.07** Least depth 813 m. Remark:

Named after the Russian R/V "Vityaz" that discovered this feature. History:

Name: Vityaz Feature: Trench

8°40'S - 167°45'E to 12°05'S - 174°05'E Position:

Dr. G.B. Udintsev, IOAN, Russia. 1958 Proposer: Date: Russian R/V "Vityaz" Discoverer: Date: 1958

Referenced: GEBCO 5.10, INT 60, 61, 604

History: Named after the Russian R/V "Vityaz" that discovered and explored this feature.

Name: Vityaz Feature: Valley

61°50'N - 176°45'E to 60°45'N - 176°50'E Position:

Proposer: Dr. G.B. Udintsev, IOAN, Russia. 1959 Date: Discoverer: Unknown Date: 1950

SCGN (Apr 1987) Accredited: Referenced: **GEBCO 5.02**

Named after the Russian R/V "Vityaz" that discovered this feature. History

Name: Voronin Trough Feature:

Position: 78°30'N - 88°00'E to 82°00'N - 85°00'E

Proposer: Prof.N. N. Zubov, Russia Date: 1935 Discoverer: Russian R/V "Sadko" Date: 1935

Accredited: SCUFN (Apr. 1985) Referenced: **GEBCO 5.17**

History: Named after V.I. Voronin (1890-1952), captain of the Russian ice-breaker fleet.

Name: Vysokaja Feature: Bank

59°43.1'S - 27°58.3'W Position:

Proposer: VNIRO. Russia Date: 1985 Russian Fishery R/V " Aleksandr Tortsev" 1978 Discoverer: Date:

Accredited: SCUFN (Apr. 1987) Referenced: **GEBCO 5.16** Least depth: 115 m. Remark:

Named from the shape of this feature ("Vysok" means "head" or "temple" in Russian). History:

Name: West Melanesian

Feature: Trench

Position: 1°30' S - 142°05' E to 0°30' S - 143°00' E to 1°30' S - 151°30' E

Proposer: V.F. Kanaev, IOAN, Russia Date: 1957 Discoverer: Russian R/V "Vityaz" Date: 1957

Remark: Wrongly shown as "Manus Trench" on GEBCO 5.10.

History: Named from its location North of the West Melanesian area of the South Pacific.

Name: Yakhont Feature: Seamount

Position: 39°27.4'S - 7°49.5'W

Proposer: VNIRO, Russia Date: 1993 Discoverer: Russian Fishery R/V "Yakhont" Date: 1977

Accredited: SCUFN (May 1993) Referenced: GEBCO 5.12

Remark: Formerly "Jahont Seamount". Min. depth: 216 m

History: Named after the F.R.V. "Yakhont" which discovered this feature.

Note: To cross-reference "Jahont Seamount" and "Yakhont Seamount" by including "See Yakhont

Seamount" in the remarks column of the Gazetteer for the former name.

Name: Yunov Feature: Seamount

Position: 43°30.5'S - 4°30.5'W

Proposer: Dr. G.V. Agapova, GIN RAS, Russia Date: 5/1997 Discoverer: Russian Fishery R/V "Atlant" Date: 4/1980

Accredited: SCUFN (June 1997)
Referenced: GEBCO 5.12
Remark: Least depth: 489 m

History: Named after Russian geophysicist A. Yu. Junov (1926-1996), senior scientist on the Arctic expeditions

of SOYUZMORGEO (Murmansk).

Name: Zavadovsky Feature: Canyon

Position: 63°30'S - 86°45'E to 64°30'S - 88°00'E

Proposer: Dr. V.G. Kort, IOAN, Russia. Date: 1956 Discoverer: Russian R/V "Lena" Date: 1956

Referenced: GEBCO 5.18

History: Named after the Russian hydrographer I.I. Zavadovskiy (1780-1821), participant in the Antarctic

expedition of Bellingshausen (1819-1821) on the ship "Vostok".

Name: Zenkevich

Feature: Rise

Position: 41°30'N - 148°30'E to 51°15'N - 162°15'E

Proposer: Dr. G.B. Udintsev, IOAN, Russia. Date: 1958

Discoverer: Russian R/V "Vityaz", 14th cruise Date: 1953

Referenced: GEBCO 5.06, 5.02, INT 53, 511

Remark: Wrongly shown as "Hokkaido Rise" on some INT charts.

History: Named after the Russian marine biologist, Academician L.A. Zenkevich (1889-1970), leader of many

expeditions in the Arctic seas and the Pacific Ocean.

Name: Zernov
Feature: Seamount

Position: 25°19'S - 85°07'W

Proposer: VNIRO, Russia Date: 1979 Discoverer: Russian Fishery R/V "Zvezda" Date: 7/1978

Accredited: SCUFN (June1997)
Referenced: GEBCO 5.11
Remark: Least depth: 276 m.

History: Named after the Russian physical oceanographer, Academician S. A. Zernov (1871-1945).

Annex 6/Page 28

Name: Zhemchug
Feature: Canyon

Position: 57°15'N - 175°45'W to 58°45'N - 175°15'W

Proposer: B.N. Kotenev, VNIRO, Russia Date: 1960 Discoverer: Russian Fishery R/V "Zhemchug" Date: 1959

Accredited: SCUFN (Apr. 1987) Referenced: GEBCO 5.03, INT 813

History: Named after the Russian R/V "Zhemchug" that discovered and explored this feature.

Name: **Zhemchug** Feature: Spur

Position: 57°10'N - 176°00'W to 58°30'N - 175°15'W

Proposer: D.E. Gerchanovich, VNIRO, Russia Date: 1959 Discoverer: Russian Fishery R/V "Zhemchug" Date: 1959

Accredited: SCUFN (Apr. 1987) Referenced: GEBCO 5.03

History: Named after the Russian R/V "Zhemchug" that discovered and explored this feature.

Name: **Zubov** Feature: Seamount

Position: 15°40'N - 160°27'E

Proposer: Dr. G.V. Agapova, IOAN, Russia. Date: 1961 Discoverer: Russian R/V "Vityaz" Date: 1961

Accredited: SCUFN (Apr. 1987)
Referenced: GEBCO 5.06
Remark: Least depth 1078 m

History: Named after the Russian Vice-Admiral Nikolai N. Zubov (1885-1960), oceanographer and Polar

explorer,

leader of the expeditions "Knipovich" (1932), "Persey" (1934) and "Sadko" (1935).

LIAISON WITH THE UNITED NATIONS GROUP OF EXPERTS ON GEOGRAPHIC NAMES (UNGEGN)

Texts relevant to SCUFN

A. Third UN Conference on the Standardization of Geographical Names, Athens, 17 Aug - 7 Septr 1977 (UN Publication E/CONF.69/3/Add.7)

Resolution 22. UNDERSEA FEATURE NAMES

I

The Conference,

Recalling resolution 26 of the Second United Nations Conference on the Standardization of Geographical Names¹⁾,

Considering the increased activity in ocean research, and the need to develop names to identify a rapidly growing number of newly discovered undersea features,

Recognizing that such names are required for certain hydrographic publications and/or bathymetric charts or related material used for research documentation,

Noting that a set of procedures developed by the United Nations would, if implemented to all member nations, lead to a desirable degree of uniformity in naming new features, while also establishing a mechanism for resolving conflicts over, or duplication of, names,

Realizing the interest of the International Hydrographic Organization (IHO) and the Intergovernmental Oceanographic Commission (IOC) in standardizing not only procedures for naming but also the names themselves,

Recommends that the principles and policies, as well as the name proposal form put before the Conference, be submitted to the IHO for the purpose of developing an agreed statement to meet requirements for an internationally acceptable set of guidelines designed to ensure maximum standardization of undersea feature names.

П

The Conference,

Noting that national and international organistions may employ different terms and definitions for undersea features.

Realizing that the United Nations Group of Experts on Geographical Names has elaborated a list of terms and definitions that differ from those approved and submitted to the Conference by the International Hydrographic Organisation (IHO),

Recommends that the Group of Experts, in collaboration with the IHO, develop a joint list of terms and definitions for undersea features for international use.

¹⁾ Second United Nations Conference on the Standardization of Geographical Names, Volume I, Report of the Conference (United Nations Publication, Sles No. E.74.I.2, p. 14).

B. Terms of Reference for the GEBCO Sub-Committee on Undersea Feature Names (SCUFN)

- (1) The Sub-Committee on Undersea Feature Names reports to the Guiding Committee as its designated authority for all matters concerning undersea feature names.
- (2) It is the function of the Sub-Committee to select those names appropriate for use on GEBCO

Annex 7/Page 2

graphical and digital products, on the IHO small-scale INTernational chart series, and on the IOC regional international Bathymetric Chart series.

- (3) The Sub-Committee shall:
 - (i) select undersea feature names on the basis of:
 - a) undersea feature names provided by national and international organizations concerned with nomenclature:
 - b) names submitted to the Sub-Committee by individuals, agencies and organizations involved in marine research, hydrography, etc.;
 - c) names appearing in scientific journals or on appropriate charts and maps, with valid supporting evidence.

Such names will be reviewed before they are inputted into the Gazetteer.

- (ii) define when appropriate the extent of named features;
- (iii) provide advice to individuals and appropriate authorities on the selection of undersea feature names in international waters and, on request, in waters under national jurisdiction;
- (iv) encourage the establishment of national boards of geographical names and undersea features, and when such a board does not exist for a given coastal state, co-operate in the naming of seafloor features related to those national waters;
- (v) prepare and maintain international gazetteers and supplements of undersea feature names;
- (vi) encourage the use of undersea feature names shown on GEBCO products, on other maps, charts, scientific publications, and documents by promulgating them widely;
- (vii) prepare and maintain internationally agreed guidelines for the standardization of undersea feature names and encourage their use;
- (viii) review and address the need for revised or additional terms and definitions for submarine topographic features.
- (ix) maintain close liaison with the UN Group of Experts on Geographical Names and international or national authorities concerned with the naming of undersea features.

Reference: Document IOC-IHO/GEBCO - XIV/3. Summary Report of the 14th Session of the Joint IOC-IHO Guiding Committee for the GEBCO, La Jolla, USA, 4-6 May 1993.

INTERGOVERNMENTAL OCEANOGRAPHIC COMMISSION (of UNESCO) INTERNATIONAL HYDROGRAPHIC ORGANIZATION





Fourteenth meeting of the GEBCO Sub-Committee on Undersea Feature Names (SCUFN)

Hydrographic Department, Japan Coast Guard Tokyo, Japan 17-20 April 2001

Addendum to SUMMARY REPORT

Page intentionally left blank

4.2.5bis Names shown on Japanese Bathymetric Chart N° 6726

1	IO	25°05'N	24°30'N	GEBCO 5.06
	Valley	140°35'E	140°13'E	

Accepted as "Valley" (instead of "Canyon" as shown on the chart).

Named after the nearby island of Io.

2	SHICHITO-IOJIMA	30°00'N	24°00'N	GEBCO 5.06
	Ridge	140°10'E	141°30'E	

Accepted. Contains 15 seamounts, 5 knolls and 3 banks.

"Shichito" designates a group of seven islands in this area. "Iojima" means "Island of Io", "Io" being a nearby island and "Jima" the Japanese term for "island".

3	DAIICHI-SOFU	29°53'.5N		GEBCO 5.06
	Knoll	140°04'.5E		

Accepted. Relief: 400m. Least depth: 2200m.

Named after the nearby Sofu Rock. "Daiich" means "first" in Japanese. "Sofu" is the Japanese term for "widow".

4	SOFU	29°46'.6N		GEBCO 5.06	l
	Seamount	140°11'.8E			l

Accepted. Relief: 1500m. Least depth: 458m.

Named after the nearby Sofu Rock. "Sofu" is the Japanese term for "widow".

5	OMACHI	29°13'.0N		GEBCO 5.06
	Seamount	140°46'.5E		

Accepted. Relief: 2000m. Least depth: 1650m.

Named after the Japanese marine geologist K. Omachi who worked at the Geological Survey of Japan.

6	SHICHIYO	29°29'N	28°34'N	27°40'N	GEBCO 5.06
	Seamount Chain	140°20′.2E	140°38'E	140°48'E	

Accepted, pending Japanese national approval.

Action: Japanese Committee on U.F.N. to consider accepting this name and to provide information on its origin.

Appendix A/Page 4

"Shichiyo" is the Japanese term for "seven days of the week".

Note: The Shichiyo Seamount Chain encompasses all features numbered 7 to 13 below.

7	NICHIYO	29°29′.0N		GEBCO 5.06
	Seamount	140°20'.2E		

Accepted. Relief: 1500m. Least depth: 832m.

[&]quot;Nichiyo" is the Japanese term for "Sunday".

8	GETSUYO	29°18'.0N		GEBCO 5.06
	Seamount	140°27'.7E		

Accepted. Relief: 2500m. Least depth: 530m.

[&]quot; Getsuyo" is the Japanese term for "Monday".

9	KAYO	29°03'.2N		GEBCO 5.06
	Seamount	140°31'.7E		

Accepted. Relief: 2500m. Least depth: 589m.

[&]quot; Kayo" is the Japanese term for "Tuesday".

10	SUIYO	28°34'.0N		GEBCO 5.06
	Seamount	140°38'.0E		

Accepted. Relief: 2000m. Least depth: 877m.

"Suiyo" is the Japanese term for "Wednesday".

11	MOKUYO	28°19'.0N		GEBCO 5.06
	Seamount	140°35'.0E		

Accepted. Relief: 2000m. Least depth: 819m.

"Mokuyo" is the Japanese term for "Thursday".

12	KINYO	28°03'.5N		GEBCO 5.06
	Seamount	140°47'.0E		

Accepted. Relief: 2500m. Least depth: 656m. Two small peaks.

"Kinyo" is the Japanese term for "Friday".

13	DOYO	27°40'.4N		GEBCO 5.06

	Seamount	140°48'.0E		

Accepted. Relief: 2500m. Least depth: 371m.

"Doyo" is the Japanese term for "Saturday".

14	SAWA	27°40'.0N		GEBCO 5.06
	Seamount	140°26'.0E		

Accepted. Relief: 2000m. Least depth: 921m.

Named after the Japanese geologist T. Sawa who was Director of the Geological Survey of Japan.

15	KAIKATA	26°40'.5N		GEBCO 5.06
	Seamount	140°56'.0E		

Accepted. Relief: 2500m. Least depth: 162m. Three peaks shoaler than 500m

Named after the Japanese fishery vessel "Kaikata". She reported the eruption of 1952.

16	KITA-IO	25°19'.0N		GEBCO 5.06
	Bank	141°14'.0E		

Accepted. Relief: 500m. Least depth: 75m.

Named after the nearby island of Io (Kita = North, in Japanese).

17	NISHI-KAIKATA	26°15'.5N		GEBCO 5.06	l
	Seamount	140°07'.5E			

Accepted. Relief: 1200m. Least depth: 2300m.

Named after the Japanese fishery vessel "Kaikata". She reported the eruption of 1952. (Nishi= West, in Japanese).

18	KAITOKU	26°14'N	26°07'N	26°03'N	GEBCO 5.06
	Seamounts	141°02'E	141°07'E	140°57'E	

Accepted, pending Japanese national approval.

Action: Japanese Committee on U.F.N. to consider accepting this name.

Named after the Japanese fishery vessel "Kaitoku". She witnessed the first major eruption.

Ī	19	KAITOKU	26°04'.0N		GEBCO 5.06
	19	RAITORU Bank	140°57' 0E		GEBCO 3.00

Appendix A/Page 6

Accepted, as "Bank" (instead of "Seamount" as shown on the chart), pending Japanese national approval. Relief: 2500m. Least depth: 103m.

Action: Japanese Committee on U.F.N. to consider accepting this feature name.

Named after the Japanese fishery vessel "Kaitoku". She witnessed the first major eruption.

20	KITA-KAISE	25°10'.4N		GEBCO 5.06
	Knoll	141°15'.0E		

Accepted, as "Knoll" (instead of "Bank" as shown on the chart). Relief: 1200m. Least depth: 283m

Named after the Japanese fishery vessel "Kaise". She witnessed volcanic activities first hand. (Kita = North, in Japanese).

21	NISHI–IO	24°53'.0N		GEBCO 5.06
	Knoll	140°35'.5E		

Accepted. Relief: 600m. Least depth: 2110m.

Named after the nearby island of Io (Nishi = West, in Japanese).

22	NISHI–KAISE	24°50'.2N		GEBCO 5.06
	Knoll	141°01'.0E		

Accepted. Relief: 600m. Least depth: 526m.

Named after the Japanese fishery vessel "Kaise". She witnessed volcanic activities first hand. (Nishi = West, in Japanese).

23	KAIJIN	24°33.5'N		GEBCO 5.06
	Knoll	141°20'.0E		

Accepted. Relief: 700m. Least depth: 246m.

Named after the Japanese fishery vessel "Kaijin". She witnessed volcanic activities first hand.

24	KAISE Knoll	24°50'.3N 141°08'.6E		GEBCO 5.06

Accepted. Relief: 400m. Least depth: 198m.

Named after the Japanese fishery vessel "Kaise". She witnessed volcanic activities first hand.

25	NISHI-FUKUTOKU	24°03′.0N		GEBCO 5.06
	Seamount	141°14'.8E		

Accepted. Relief: 900m. Least depth: 513m.

Named after the Japanese fishery vessel "Fukutoku". She reported the first major eruption. (Nishi = West, in Japanese).

26	KITA-FUKUTOKU Bank	24°25'.0N 141°25'.0E			GEBCO 5.06
----	-----------------------	-------------------------	--	--	------------

Accepted. Relief: 900m. Least depth: 73m.

Named after the Japanese fishery vessel "Fukutoku". She reported the first major eruption. (Kita = North, in Japanese).

27	FUKUTOKU	24°03'.5N		GEBCO 5.06
	Seamount	141°37'.0E		

Accepted. Relief: 1500m. Least depth: 201m.

Named after the Japanese fishery vessel "Fukutoku".

20	OC A C A W A D A	200152NI	25000201	CEDCO 5 06
28	OGASAWARA	29°15'N	25°00'N	GEBCO 5.06
	Through	141°12'E	141°50'E	

Already in GEBCO Gazetteer. Revised positions accepted.

Named after the nearby island of Ogasawara.

29	OGASAWARA	29°40'N	24°50'N	GEBCO 5.06
	Ridge	141°27'E	142°20'E	

Already in GEBCO Gazetteer. Revised positions accepted. Contains one seamount and two knolls.

Named after the nearby island of Ogasawara.

Note: Called "Bonin Ridge" in ACUF Gazetteer.

30	HAHAJIMA	26°13'.5N	26°26'.5N	GEBCO 5.06
	Seamount	143°04'.5E	142°56'.4E	

Accepted. Relief: 2500m. Least depths: 980m and 1190m. Elongated, two peaks.

Named after the nearby island of Hahajima.

31	IMOTOJIMA	25°28'.5N		GEBCO 5.06
	Knoll	142°40'.5E		

Appendix A/Page 8

Accepted. Relief: 400m. Least depth: 1480m.

Named after the nearby island of Imotojima.

32	ANEJIMA	25°15'.0N		GEBCO 5.06
	Knoll	142°18'.0E		

Accepted. Relief: 600m. Least depth: 1530m.

Named after the nearby island of Anejima.

33	SUDA	26°10'N	25°47'N	GEBCO 5.06
	Ridge	144°50'E	149°10'E	

Named "Ogasawara Plateau" (East Sector) in the GEBCO Gazetteer. **Accepted** as "Suda Ridge", pending Japanese national approval.

Action: Japanese Committee on U.F.N. to consider accepting this name.

Named after the former Japanese Hydrographer Kanji Suda, who led Hydrography in Japan in the 1950's.

Note: Called "Michelson Ridge" on Mammerickx 1985 chart and in ACUF 1990 Gazetteer.

34	HANZAWA	25°45'.3N		GEBCO 5.06
	Seamount	147°09'.0E		

Accepted. Relief: 2500m. Least depth: 306m.

Named after the famous Japanese geologist Shoshiro Hanzawa.

Note: Called "Castor Guyot" in ACUF Gazetteer and on 1985 Mammerickx chart.

35	KATAYAMA	25°45'.0N		GEBCO 5.06
	Seamount	147°53'.0E		GLBCC 3.00

Accepted. Relief: 1500m. Least depth: 1330m.

Named after the late Japanese geologist T. Katayama, who died at a young age.

Note: Called "Pollux Guyot" in ACUF Gazetteer and on 1985 Mammerickx chart.

36	YARE	26°08N – 145°22'E	GEBCO 5.06
36	Plateau	(nominal)	GEBCO 5.00

Accepted, pending Japanese national approval. Relief: 2000-5000m. Least depth: 1030m. Extensive flattish summit.

Action: Japan Committee on U.F.N. to consider accepting this feature name.

Named after the prominent pioneer Japanese geologist Hisakatsu Yabe (19th Century).

Note: Called "Smoot Guyot" in 1990 ACUF Gazetteer and on 1985 Mammerickx chart.

37	UDA	25°34'.0N	24°30'N	GEBCO 5.06
	Spur	147°13′.0E	147°15'E	

Accepted, pending Japanese national approval. Relief: 3100m. Least depth: 2660m. It contains three hills, which need not be named.

Action: Japanese Committee on U.F.N. to consider accepting this feature name.

Named after Prof. Michitaka Uda, Japanese Physical Oceanographer in the 1940's-50's.

38	OGASAWARA	26°00'N – 144°00'E	GEBCO 5.06
	Rise	(nominal position)	

Already in the GEBCO Gazetteer, as "Ogasawara Plateau" (West sector). **Accepted** as Ogasawara Rise, pending Japanese national approval. Irregular feature, with four seamounts.

Action: Japanese Committee on U.F.N. to consider accepting this name.

Named after the nearby island of Ogasawara.

39	NISHI	26°04'.0N		GEBCO 5.06
	Hill	143°30'.0E		

Accepted, as Hill (instead of "Seamount" as shown on the chart). Relief: 500m. Least depth: 2070m.

"Nishi" is the Japanese term for "West".

40	CHUO	26°08'.0N	25°59'.2N	GEBCO 5.06
	Seamount	144°00'.6E	144°02'.0E	

Accepted (instead of "Higashi Seamount" as shown on the chart). Relief: 2000m. Least depths: 520m and 641m. Two discrete peaks on wide platform.

"Chuo" is the Japanese term for "central".

41	KITA	26°35'.5N		GEBCO 5.06
	Knoll	144°12'.2E		

Accepted, as Knoll (instead of "Seamount" as shown on the chart). Relief: 600m. Least depth: 2640m.

[&]quot;Kita" is the Japanese term for "North".

42	HOKUTO	26°25'.0N		GEBCO 5.06
	Hill	144°36'0E		

Accepted. Relief: 400m. Least depth: 2230m.

"Hokuto" is the Japanese term for "Northeast".

43	MINAMI	25°14'.0N		GEBCO 5.06
	Hill	143°55'.0E		

Accepted, as "Hill" (instead of "Seamount, as shown on the chart). Relief: 700m. Least depth: 1310m.

"Minami" is the Japanese term for "South".

44	HIGASHI Seamount	26°14'.0N 144°42'.5E			GEBCO 5.06
----	---------------------	-------------------------	--	--	------------

Accepted. Relief: 1200m. Least depth: 1990m.

"Higashi" is the Japanese term for "East".

45	UYEDA	27°15'.0N	27°35'.5N	GEBCO 5.06
	Ridge	143°41'.5E	144°46'.5E	

Accepted, pending Japanese national approval. Summit at 27°31′.0 N – 144°22′.6E, with relief: 4500m and least depth: 1300m.

Action: Japanese Committee on U.F.N. to consider accepting this name.

Named after Prof. Seiya Uyeda, Japanese geophysicist at Tokyo University and M.I.T (USA).

Note: Suggestion for naming this feature after Prof. Uyeda was made in 1986 by Dr Christian Smoot, US Naval Oceanographic Office.

46	RAMAPO	27°16'.2N		GEBCO 5.06
	Bank	145°12'.5E		

Accepted, instead of "Matsubara Seamount" shown on the chart, pending Japanese national approval. The name "Ramapo Bank" already appeared in 1990 ACUF Gazetteer and on 1985 Mammerickx chart. Relief: 5100m. Least depth: 89m.

Action: Japanese Committee on U.F.N. to consider withdrawing the name "Matsubara Seamount".

Named after the famous 1920's-30's US Research Vessel Ramapo.

47	NELSON	27°49'.5N		GEBCO 5.06
	Seamount	145°42'.0E		

Accepted, pending Japanese national approval. The name "Nelson Seamount" already appeared in 1990 ACUF Gazetteer and on 1985 Mammerickx chart. Relief: 4600m. Least depth: 913m.

Actions: Japan Committee on U.F.N. to consider accepting this name, since it has been in use for many years. Secretary to check the origin of this name through ACUF.

Note: The Meeting suggested that the name Kiku (the Japanese term for "Chrisanthem"), which had been proposed by JCUFN for this feature, be either mentioned in the GEBCO Gazetteer as "Also shown as Kiku Seamount on Japanese charts" or, preferably, that Kiku be used for another major feature.

48	CHOYO Seamount	27°02'.5N 148°36'.5E			GEBCO 5.06
----	-------------------	-------------------------	--	--	------------

Accepted. Relief: 4600m. Least depth: 1040m.

Named after the former Japanese warship Choyo (19th Century). She accompanied the Japanese warship Kanrin in her first friendship visit to the USA.

49	AKI-NO-NANAKUSA	27°59'.5N	28°22'.0N	29°07'.0N	GEBCO 5.06
	Seamounts	147°39'.0E	148°15'.8E	149°14'.7E	

Accepted.

"Aki-No-Nanakusa" means "The seven flowers of Autumn", in Japanese.

Note: The Aki-No-Nanakusa Seamounts encompass all features numbered 50 to 56 below.

50	FUJIBAKAMA	28°35'.0N		GEBCO 5.06
	Seamount	146°43'.0E		

Accepted. Relief: 3500m. Least depth: 2240m.

"Fujibakama" is the Japanese term for "thoroughwort".

51	KUZUHANA	28°05'.0N		GEBCO 5.06
	Seamount	147°12'.7E		

Accepted. Relief: 1100m. Least depth: 4650m.

"Kuzuhana" is the Japanese term for "arrowroot".

52	KIKYO Saamount	27°59′.5N 147°39′.0E		GEBCO 5.06
	Seamount	14/ 39 .UE		

Accepted. Relief: 3900m. Least depth: 1810m.

Appendix A/Page 12

"Kikyo" is the Japanese term for "Chinese bellflower".

5.0	O) (D) A EGYH	2000(1.0)		CED CO 5 06
53	OMINAESHI	28°06'.0N		GEBCO 5.06
	Seamount	147°55'.2E		

Accepted. Relief: 2300m. Least depth: 3600m.

"Ominaeshi" is the Japanese term for "valeriane".

54	NADESHIKO	28°22'.0N		GEBCO 5.06
	Seamount	148°15'.8E		

Accepted. Relief: 4000m. Least depth: 2060m.

"Nadeshiko" is the Japanese term for "pink" (the flower).

55	SUSUKI Seamount	28°45'.1N		GEBCO 5.06
		148°18'.0E		

Accepted. Relief: 3700m. Least depth: 2330m.

"Susuki" is the Japanese term for "eulalia".

56	HAGI	29°06'.6N		GEBCO 5.06
	Seamount	149°15'.1E		

Accepted. Relief: 1200m. Least depth: 4330m.

"Hagi" is the Japanese term for "lespedeza".

	HARU-NO				
57	NANAKUSA	24°51'N	25°10'N	25°51'N	GEBCO 5.06
	Seamounts	148°15'E	148°30'E	149°37'E	

Accepted.

"Haru-No-Nanakusa" means "The seven flowers of Spring", in Japanese.

Note: The Haru-No-Nanakusa Seamounts encompass all features numbered 58 to 64 below.

58	SUZUNA	25°13'.7N		GEBCO 5.06
	Seamount	148°07'.0E		

Accepted. Relief: 3000m. Least depth: 1190m.

"Suzuna" is the Japanese term for "turnip".

59	HAKOBE	25°18.0N		GEBCO 5.06
	Seamount	148°27'.0E		

Accepted. Relief: 3000m. Least depth: 1180m.

"Hakobe" is the Japanese term for "chickweed".

60	GOGYO	25°08'.5N		GEBCO 5.06
	Seamount	149°08'.0E		

Accepted. Relief: 2500m. Least depth: 3100m.

"Gogyo" is the Japanese term for "cottonweed".

61	HOTOKENOZA	25°03'.5N		GEBCO 5.06
	Guyot	148°35'.0E		

Accepted, as "Guyot" (instead of "Seamount" as shown on the chart). Relief: 3500m. Least depth: 1120m.

"Hotokenoza" is the Japanese term for "henbit".

62	SUZUSHIRO	24°51′.0N		GEBCO 5.06
	Seamount	148°15'.8E		

Accepted. Relief: 3500m. Least depth: 1150m.

"Suzushiro" is the Japanese term for "radish".

63	NAZUNA	25°28′.0N		GEBCO 5.06
	Seamount	149°29'.0E		

Accepted. Relief: 3000m. Least depth: 2390m.

"Nazuna" is the Japanese term for "shepherd's purse".

64	SERI	25°50'.3N		GEBCO 5.06
	Seamount	149°36'.7E		

Accepted. Relief: 3200m. Least depth: 2490m.

"Seri" is the Japanese term for "dropwort".

65	KANRIN	24°07'N		GEBCO 5.06
	Guyot	150°00'E		

Accepted, as "Guyot" (instead of "Seamount" as shown on the chart). Relief: 4500m. Least

depth: 1200m.

Named after the Japanese warship Kanrin (19th Century). She made the first friendship visit to the USA.

66	Unnamed	24°23′.0N	Relief: 1400m. Least depth: 4430m.
	Seamount	148°57'.0E	

Feature accepted, pending Japanese national approval.

Action: Japanese Committee on U.F.N. to consider proposing a name for the above feature.

67	SENSHU	26°21'.0N		GEBCO 5.06
	Guyot	148°47'.5E		

Accepted. Relief: 2100m. Least depth: 4100m.

Named after the Japanese warship Senshu (19th Century). She accompanied the Japanese warship Kanrin in her first friendship visit to the USA.

68	KAEDE	28°08'.0N		GEBCO 5.06
	Seamount	146°15'.7E		

Accepted. Relief: 2000m. Least depth: 3820m.

"Kaede" is the Japanese term for "maple tree".

69	TSUTA	27°47'.7N		GEBCO 5.06
	Seamount	146°13′3E		

Accepted. Relief: 2500m. Least depth: 2710m.

"Tsuta" is the Japanese term for "ivy".

70	МИКОЛМА	28°12′.6N		GEBCO 5.06
	Seamount	144°44'.3E		

Accepted. Relief: 1400m. Least depth: 4370m.

Named after the Japanese island of Mukojima.

71	WONTEN (A. C.	270522 021		CED CO 5 06
7/1	YOMEJIMA Seamount	27°53′.0N		GEBCO 5.06
		145°13′.1E		

Accepted. Relief: 1500m. Least depth: 4200m.

Named after the Japanese island of Yomejima.

72	СНІСНІЈІМА	27°47′.1N		GEBCO 5.06
	Seamount	144°34'.0E		

Accepted. Relief: 3300m. Least depth: 2480m.

Named after the Japanese island of Chichijima.

73	FUJIBAKAMA	29°55'N	29°00'N	GEBCO 5.06
	Escarpment	145°47'E	146°28'E	

Accepted. Relief: 900m. Lest depths from 5400m to 6300m.

"Fujibakama" is the Japanese term for "agueweed".

74	KAEDE	29°55'N	28°13'N	GEBCO 5.06
	Escarpment	145°20'E	146°17'E	

Accepted. Relief: 1100m. Lest depths from 5000m to 6100m.

[&]quot;Kaede" is the Japanese term for "maple tree".