

# Crowdsourced bathymetry on the Great Barrier Reef, Australia

**Dr Robin Beaman**

**College of Science and Engineering**

**[robin.beaman@jcu.edu.au](mailto:robin.beaman@jcu.edu.au)**



# Crowdsourced bathymetry (CSB)

- Collection of depth measurements from vessels using standard navigation instruments
- Detailed knowledge of depth critical for understanding GBR ecosystems, flood modelling, COT starfish control
- ~40% of GBR shelf mapped with in situ depth soundings, with a need to preserve, share and fill data gaps




# James Cook's 'The Labyrinth'

Chart of Part of the Coast of New South Wales (1770)

gbr30 grid (2018)


The "Endeavour" Ashore for Repair



The Endeavour undergoing repair at the mouth of the Endeavour River after running aground on the Great Barrier Reef. [From an engraving in John Hawkesworth's account of Captain Cook's voyage to Australia, which was prepared from Cook's journal and Barks' papers and published in London in 1773.]




# Osprey Reef example



MV Undersea Explorer (2006)



Benthic assemblages to 900m



Mar Biodiv (2016) 46:795–808  
DOI 10.1007/s12526-015-0434-5

ORIGINAL PAPER

SENCKENBERG

**Spatial patterns in the distribution of benthic assemblages across a large depth gradient in the Coral Sea, Australia**


Robin J. Beaman<sup>1</sup> · Tom C. L. Bridge<sup>2,3</sup> · Carsten Lüter<sup>4</sup> · Joachim Reitner<sup>5</sup> · Gert Wörheide<sup>6</sup>

# TeamSurv data logger

MV Argo (2018)



SmartLog NMEA data logger + USB



TeamSurv at: <https://www.teamsurv.com/>


# CSB processing

raw NMEA → python filtered → Caris HIPS → gbr100/30

```
$ECGGA,222112.41,1648.086,S,14543.029,E,1,11,1.0,12.80,M,0.0,M,0.00,*48  
$ECGLL,1648.086,S,14543.029,E,222112.41,A,A*69  
$ECRMC,222112.41,A,1648.086,S,14543.029,E,0.0,007.3,280618,007.3,E,A*30  
$ECVTG,007.3,T,000.0,M,0.0,N,0.0,K,A*36  
$ECZDA,222112.41,28,06,2018,,*75  
$SDDBT,9.4,f,2.8,M,1.6,F*06  
$SDDPT,2.8,0.0*5D  
$VWMTW,261.0,C*27  
$VWVLW,0.0,N,0.00,N*7C
```

```
-16.8014333,145.7171500,20180628,222114.45,0.0,007.3,3.0  
-16.8014333,145.7171500,20180628,222116.41,0.0,007.3,3.0  
-16.8014333,145.7171500,20180628,222118.33,0.0,007.3,3.1  
-16.8014333,145.7171667,20180628,222120.33,0.0,007.3,3.1  
-16.8014333,145.7171667,20180628,222122.39,0.0,007.3,3.2
```

vessel configuration  
sound velocity for area  
tidal adjustment  
point cloud editing




datum adjustment


# MV Argo data



Aus chart




palaeo-channel



# CSB funding and support

## Great Barrier Reef Foundation



GBR Foundation at: <https://www.barrierreef.org/>

## Citizens of the Great Barrier Reef




Citizens of the GBR at: <https://citizensgbr.org/>

# CSB data flow

crowdsourced bathymetry

gbr100/30



JCU (Trusted Node)


Australian Hydrographic Office

IHO Data Centre for Digital Bathymetry (DCDB)

TeamSurf



# CSB data coverage



2.25 million soundings (8 Nov 2018) growing by  $\sim 20$  thousand soundings per month

# GA media release 19 January 2018



gbr30 data available at: <http://pid.geoscience.gov.au/dataset/115066>